

The Smart Side of Safety.



®

Your resource for safety solutions.

We manufacture, develop & re-engineer PPE for the essential workforce of today.

Safety is knowledge. It's insight, support and personalized solutions designed to protect people and strengthen businesses. From head to toe, Ironwear has you covered. With our expansive line of products channeled through a world class distribution network and eCommerce site you can be sure to get what you need, how and when you need it.

ironwear /

The Smart Side of Safety.

Contact

Web: ironwear.com Tel: 800.329.2235 Fax: 800.359.8513

support@ironwear.com orders@ironwear.com (Email purchase orders)

Corporate Office & Warehouse

2020 Seabird Way Riviera Beach FL, 33404

Texas Warehouse & Sales Office

359 Old Underwood Rd Suite C La Porte, TX 77571

Table of Contents

Hand Protection	5	<u>Footwear</u>	12
Glove Information	7	PVC/Nitrile Boots	12
Dipped Gloves	8-15	PVC Boots	130-1
Mechanical Gloves	16	Neoprene & Rubber Boots	132-13
PVC Gloves	17-18	Polyurethane Boots	13
Unsupported Nitrile Gloves	19	Insert Soles & Shoe Covers	13
Latex & Mesh Gloves	20	Latex Boots & Hip Boots	13
Woven & Knit Gloves Knit Gloves & Split Cowhide Leather Gloves	21-22 23-24	Hip Boots & Chest Wader	13
Leather Electrical, Welding, & Driver Gloves	25-26	Respiratory Protection	13
Leather Driver Gloves & Accessories	26-30	1133 5114131 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
		Disposable Face Mask & Respirators	139-14
Safety Vests	31	Reusable Half Mask, Filters, & Cartridges].
<u>Janoty rooto</u>		Cartridges & Cleaning Wipes Washable Masks	143-143-143-143-143-144
Economy Vests	33-35		
Class 2 Vests	36-48	Medical Protection	14
Class 3 Vests	49-54		
		Disposable & Procedural Masks	147-14
Head Protection	55	Lab Coat, Scrub Top & Pants	1/2
		Isolation & Surgical Gowns Stethoscope & Thermometers	150-15 153-15
Helmet & Hard Hat Color Options	57	Hand Sanitizer & Antibacterial Wipes	155-1
Raptor Helmets & Accessories	58-61	Personal Protection Kit & More	15
Hard Hat Covers, Hard Hats, & Bump Caps	61-62		
Visor Brackets & Visors	63	Safety Clothing	15
Visors & Nylon Suspension Headgear & Face Shield	64 65		
Booney Hats, Beanies, Bouffants, & Beard Net	66	Class 3 Jackets	159-1
booney riats, bearies, bourtaints, & beard Net	00	Hooded Sweatshirts	16 16
Гусуусси	67	Economy Safety Shirts Class 2 Safety Shirts	163-16
<u>Eyewear</u>	67	Class 3 Safety Shirts	166-16
Safety Glasses	69-82	FR Long Sleeve Shirts	160 16
Over The Glasses	83-84	FR Cotton Coveralls & Separates	169-17
Goggles	85-88	Disposable Coveralls	171-17
Goggles & Visor Set	89	Polypropylene Set & Apron	1]
Eyewear Accessories	90	Back Support Belt & Suspenders	17
		Mesh Pants & Neck Gaiters	17
<u>Fall Protection</u>	91	Sleeves & Arm Protection	17
Harnesses & Accessories	93-94	Arm Guards & Sleeves	18
Anchor & Arm Straps	95	and the second second	
Lanyards	96-97	Hearing Protection	18
Hardware & Taglines	98	E. Di	40
SRL Vertical Rope Line & Rope Grab	99-108 109	Ear Plugs Ear Muff	18 18
Horizontal Lifelines	110-111	Lai Muli	10
Anchor Post & Brackets	111	Steel Mesh Clothing	18
Fall Protection Kits & Bag	112	<u></u>	
•		Gloves & Accessories	187-18
Rainwear	113	Arm Guard & Tunic	18
<u>Italiiwoai</u>	110	Apron & Leggings	19
Chemical Resistant Rainwear	115	Safety Equipment	19
PVC/Polyester Sets	116-117	Jaioty Zajanjonione	
Hydroblast Suits & Accessories PVC/Polyester Jackets & Coats	117-118 119-120	Barrier Tapes	19
PVC/Polyester Separates	121	Flags, Fan Covers, Fence, & Netting	19
Polyurethane/Nylon Separates	122	Kneeling Pad & Knee Pads	19
Polyester/PU Suits & Coats	123-125		
Polyester/PU Sanitation Suits & Coverall	126	<u>Index</u>	19

Experience Our Services -Your Customized Product & **Industry Solutions**

It's never been easier to add your company's logo or custom safety message to your next Ironwear order. Our team of experts will work with you to personalize the products you use every day.



Screen Printing

With our custom screen printing services, customers can request up to four colors and specialized placements, making personalization options endless on vests, shirts, jackets, sweatshirts and rainwear.



Heat Transfers

Heat transfer printing is the process of printing an image on vinyl and heat pressing that image at a high temperature onto a garment allowing customers to personalize vest, shirt, and jacket orders easily.



Embroidery

Add a professional touch to your workwear. Our embroidery service means we can offer our customers corporate branding on a wide variety of garments.



Pad Printing

To ensure brand identity and safety messaging, we offer pad printing on hard hats. With our custom pad printing, customers can request specialized art placement in up to three colors per placement.



Site Assessment

Product Engineering

Private Labeling

Tape Placement

We help to evaluate your work environment - whether it is a construction site, food processing plant, refinery, or a manufacturing facility. Through an Ironwear Site Assessment, we will work closely with you to find out what your needs are and what the potential injuries could be. Resulting in a tailored program and safe workplace from the best assortment of PPE available.

Your name - Ironwear made. Starting from the ground up, our Private Label Program provides options for you to personalize at every step. From product development,

It is essential to choose a knowledgeable and experienced provider when it comes

to custom tape placement on reflective apparel. Our expertise will help you ensure

Let's define together. Working with you to create product solutions around specific

applications, Ironwear's Product Engineering service is an activity based process.

Through this comprehensive and collaborative approach to identify and solve, you

can be sure the PPE we create will meet your task at hand.

compliance with industry standards when creating safe, custom garments.

packaging design and distribution, we'll work with you to make it yours.







Hand Protection

Ironwear gloves help keep your hands safe and functional while you get the job done.

Every application and environment requires the right hand protection. Through our product engineering services we can create customized solutions, or utilize our expansive lineup to offer the perfect fit.

Types

- > Dipped
- > Mechanic
- > PVC
- > Unsupported
- > Mesh
- > Knit & Woven
- > Electrical > Welding
- > Driver
- > Accessories

Materials

- > Acrylic
- > Buffalo Grain
- > Cotton Blends
- > Cow Grain Leather
- > Fleece
- > Goat Grain
- Leather
- > HDPE & HPPE

- > Jersey
- > Kevlar®
- > Latex & Nitrile
- > Lycra
- > Neoprene
- > Nylon
- > Polyester
- > Polyethylene
- > Polyurethane
- > PVC

- > Spandex
- > Split Cowhide
 - > String Knit Blends
 - > Terry Blend
 - > Thinsulate®
 - > Vinyl

listed under our Steel Mesh

Features

- > Adjustable Wrist
- > Anti-Vibration
- > Breathable
- > Cut Resistant
- > Disposable > Fully Coated
- > Hardened Finger Tips
- > High Impact
- > Insulated/Liner
- > Impact Resistant/TPR > Waterproof

- > Magnetic
- > Medical Grade
- > Orange Finger Tips
- > Padded Palm
- > Pull Tab
- > Puncture Resistant
- > Reversible
- > Thumb Guard
- > Touch Sensitive
- FDA Compliant



Flame

Resistant

FDA COMPLIANT

Icon Key



Buffalo

Leather


















ironwear.com


Hand Protection > **Glove Information**

CE Rating EN 388:2016



- 1. Abrasion Resistance
- 2. Cut Resistance, Coup Test
- **3.** Tearing Strength
- 4. Puncture Resistance
- C. Cut Resistance, TDM Test ISO 13997
- X. Impact Protection

Glove Sizing



SM	> 7"
MD	> 8"
LG	> 9"
XL	> 10"
2XL	> 11"
3XL	> 12"
4XL	> 13"

> 6"

> 14"

XS

5XL

Impact Resistance Levels

ANSI/ISEA 138-2019 Standard Levels of Protection for Impact Resistance.

ANSI/ISEA 138



Performance Level 1 Mean (kN): <9 All Impacts (kN) <11.3

ANSI/ISEA 138



Performance Level 2 Mean (kN): <6.5 All Impacts (kN) <8.1

ANSI/ISEA 138



Performance Level 3 Mean (kN): <4 All Impacts (kN) <5

Cut Levels

ANSI/ISEA 105-2016 Classification for Cut Resistance.



200-499 Grams to Cut Light Cut Hazards



1500-2199 Grams to Cut Medium Cut Hazards



4000-4999 Grams to Cut High Cut Hazards



500-999 Grams to Cut Light/Medium Cut Hazards



2200-2999 Grams to Cut Medium/Heavy Cut Hazards



5000-5999 Grams to Cut High Cut Hazards



1000-1499 Grams to Cut Light/Medium Cut Hazards



3000-3999 Grams to Cut High Cut Hazards



6000+ Grams to Cut High Cut Hazards

Hand Protection > Dipped Gloves: Evolution-CG Glove Series (A8)



Evolution CG-1, CG-2, & CG-3

The Ironwear Evolution CG Series delivers lightweight 360° A8 cut level, meeting ANSI/ISEA 105-2016, with unprecedented dexterity and comfort. These 15 gauge gloves are knit with a unique blend of steel, HPPE, and additional fibers. Enhance your hand protection with seamless Evolution CG gloves that maintain tactile sensitivity without sacrificing necessary high level cut protection.

Style 4945: Style 4946: Style 4947: Evolution CG-1 Evolution CG-2 Evolution CG-3

> Size: SM-2XL

> Case Pack: 72 Pairs

Evolution CG-1

Heather grey dipped glove with black Sandy Nitrile coated palm.



Evolution CG-1

Evolution CG-2

Heather grey dipped glove with black PU coated palm.



4946 **Evolution CG-2**

Evolution CG-3 \ \bigcap 2

Heather grey dipped glove with black Sandy Nitrile coated palm and hi-vis lime TPR. Impact protection ANSI/ISEA 138-2019, Level 2.



(Left)





Evolution CG-3



Hand Protection > Dipped Gloves

Style 4540

Premium 4 layer nitrile coated with smooth finish, fully dipped, safety cuff, fleece jersey liner.

- > Size: 7-11
- > Case Pack: 12 Dozen

Style 4541

Ultimate premium layer nitrile coated with smooth finish, fully dipped, safety cuff, fleece jersey liner.

- > Size: 7-11
- > Case Pack: 12 Dozen

Style 4550

Premium 4 layer nitrile coated with rough finish, fully dipped, safety cuff, fleece jersey liner.

- > Size: 7-11
- > Case Pack: 12 Dozen

Style 4840-B

100% Nylon knit, black, with PU coated palm. Meets CE EN 388 of 4131.

- > Size: SM-XL
- > Case Pack: 10 Dozen

Style 4840-G

100% Nylon knit, grey, with PU coated palm. Meets CE EN 388 of 4131.

- > Size: SM-XL
- > Case Pack: 10 Dozen

Style 4840-L

100% Nylon knit, hi-vis lime, with grey PU coated palm. Meets CE EN 388 of 4131.

- > Size: SM-XL
- > Case Pack: 10 Dozen













4550





4845-G

Hand Protection > Dipped Gloves







4840-L

Style 4800

CORE TG-1 driver glove made with touch sensitive fully dipped foam nitrile and 18 gauge nylon/spandex liner, adjustable cuff with hook & loop closure.

- > Size: XS-2XL
- > Case Pack: 10 Dozen

Style 4820

70% Cotton/30% Polyester knit, hi-vis lime, with blue latex coated palm.

- > Size: SM-XL
- > Case Pack: 10 Dozen

Style 4830

100% Polyester knit, hi-vis lime, with black latex coated palm.

- > Size: SM-XL
- > Case Pack: 10 Dozen

Style 4845-G

Iron-Touch glove made with touch sensitive black nitrile coated palm and 13 gauge grey nylon knit. Meets CE EN 388 of 4131.

- > Size: SM-XL
- > Case Pack: 10 Dozen

Style 4855

100% Polyester knit, red, with black nitrile coated palm.

- > Size: SM-XL
- > Case Pack: 10 Dozen

Style 4856

100% Polyester knit, red, with black 3/4 dipped nitrile coated palm.

- > Size: SM-XL
- > Case Pack: 10 Dozen







4820





4830









4855





4856





Hand Protection > Dipped Gloves: Iron-Tek®

Iron-Tek® 4860

Form-fitting curved glove with smooth finish, tear-resistant & seamless nylon knit liner, extended cuff, and reinforced stitching. 15 Gauge, Nylon/Lycra with Nitrile/PU foam Nitrile coating, CE EN 388 4131.

- > Size: XS-2XL
- > Case Pack: 6 Dozen



4860

4862

Iron-Tek® 4861

Form-fitting curved glove with dotted surface, tear-resistant & seamless nylon knit liner, extended cuff, and reinforced stitching. 15 Gauge, Nylon/Lycra with Nitrile/PU foam Nitrile coating, CE EN 388 4131.

- > Size: XS-2XL
- > Case Pack: 6 Dozen



4861

4863

Iron-Tek® 4862

3/4 Dipped form-fitting curved glove with smooth finish, tear-resistant & seamless nylon knit liner, extended cuff, and reinforced stitching. 15 Gauge, Nylon/Lycra with Nitrile/ PU foam nitrile coating, CE EN 388 4131.

- > Size: XS-2XL
- > Case Pack: 6 Dozen



Iron-Tek® 4863

3/4 Dipped form-fitting curved glove with dotted surface, tear-resistant & seamless nylon knit liner, extended cuff, and reinforced stitching. 15 Gauge, Nylon/Lycra with Nitrile/ PU foam nitrile coating, CE EN 388 4131.

- > Size: XS-2XL
- > Case Pack: 6 Dozen



Hand Protection > Dipped Gloves: Cut Resistant

Style 4833 ASTM ANSI CUT LEVEL A2

100% Polyester knit, hi-vis lime, with black Sandy Nitrile coated palm. Features 360° A2 cut level meeting ANSI/ISEA 105-2016 and meets CE EN 388 4132.

- > Size: MD-2XL
- > Case Pack: 72 Pairs



HPPE knit, green, with black, dotted palm, nitrile foam coated palm and reinforced thumb crotch. Dots provide excellent grip. Features 360° A4 cut level meeting ANSI/ISEA 105-2016.

- > Size: SM-2XL
- > Case Pack: 72 Pairs



HPPE knit, hi-vis lime, with PU coated palm. Features 360° A4 cut level meeting ANSI/ISEA 105-2016.

- > Size: SM-2XL
- > Case Pack: 72 Pairs











Style 4917 Astmansical Cuttlevel A4

HPPE knit, hi-vis orange, with grey PU coated palm. Features 360° A4 cut level meeting ANSI/ISEA 105-2016.

- > Size: XS-2XL
- > Case Pack: 72 Pairs

Style 4918 ASTM ARSI (CUT LEVEL A4)

HPPE knit, hi-vis lime, with black nitrile coated palm. Features 360° A4 cut level meeting ANSI/ISEA 105-2016.

- > Size: XS-2XL
- > Case Pack: 72 Pairs



HPPE knit, heather grey, with black nitrile coated palm. Features 360° A5 cut level meeting ANSI/ISEA 105-2016 and meets CE EN 388 4.

- > Size: SM-XL
- > Case Pack: 120 Pairs









4917 4918 4920

ironwear

12

ironwear.com

Hand Protection > **Dipped Gloves: Cut Resistant**

Style 4925 (A7)

HPPE knit, heather grey, with black Sandy Nitrile coated palm. Features 360° A7 cut level meeting ANSI/ISEA 105-2016 and meets CE EN 388 4.

- > Size: XS-2XL
- > Case Pack: 72 Pairs





4925



Style 4957-B

Engineered yarn knit, blue, with black

TPE (Thermo Plastic Elastomer) on palm

for excellent grip. Features 360° A4 cut

level meeting ANSI/ISEA 105-2016.

Style 4930 A3

CE EN 388 3.

> Size: SM-3XL

> Case Pack: 72 Pairs

Nylon/HPPE knit, heather black,

with black foam nitrile coated palm.

Features 360° A3 cut level meeting

ANSI/ISEA 105-2016 and meets









Hand Protection > Dipped Gloves: Cut Resistant & Impact (A6)





Style 4891

PE blend knit, heather grey, with black foam nitrile coated palm, hi-vis TPR. reinforced thumb crotch, and adjustable knit cuff with hook & loop closure. Features A6 cut level meeting ANSI/ISEA 105-2016 and meets CE EN 388 4.

- > Size: XS-4XL
- > Case Pack: 72 Pairs

Style 4891-W

PE blend knit, heather grey, with black foam nitrile coated palm, extra wide hi-vis TPR, reinforced thumb crotch, and adjustable knit cuff with hook & loop closure. Features A6 cut level meeting ANSI/ISEA 105-2016 and meets CE EN 388 4.

- > Size: XS-4XL
- > Case Pack: 72 Pairs

Style 4891-S

PE blend knit, heather grey, with black foam nitrile coated palm, sewn in hi-vis TPR, reinforced thumb crotch. and adjustable knit cuff with hook & loop closure. Features A6 cut level meeting ANSI/ISEA 105-2016 and meets CE EN 388 4.

- > Size: XS-4XL
- > Case Pack: 72 Pairs









4891-W 4891-S 4891

Style 4936 ASTM ANSW

HPPE knit, heather grey, with black foam nitrile coated padded palm and reinforced thumb crotch. Features 360° A6 cut level meeting ANSI/ISEA 105-2016 and meets CE EN 388 4.

- > Size: SM-3XL
- > Case Pack: 72 Pairs









4936



> Size: MD-XL

> Case Pack: 72 Pairs

4957-B

Style 4965 Astmansicutievel A5

Style 4935 AST ANSI CULL LEVEL A6

CE EN 388 4.

> Size: SM-3XL

> Case Pack: 72 Pairs

HPPE knit, heather grey, with black

Features 360° A6 cut level meeting

foam nitrile coated padded palm.

ANSI/ISEA 105-2016 and meets

17" Long heavy duty glove, with Sandy Nitrile coating and grip pattern on palm. Features 360° A5 cut level meeting ANSI/ISEA 105-2016.

- > Size: SM-2XL
- > Case Pack: 36 Pairs



Style 4891-SFD

PE blend knit, heather grey, with fully dipped black foam nitrile coating, sewnin hi-vis TPR, reinforced thumb crotch, and adjustable knit cuff with hook & loop closure. Features A6 cut level meeting ANSI/ISEA 105-2016 and meets CE EN 388 4.

- > Size: XS-4XL
- > Case Pack: 72 Pairs





4891-SFD

Style 4891-1

PE blend knit, heather grey, with insulated blend of acrylic & other engineered fibers. black foam nitrile coated palm, hi-vis TPR, reinforced thumb crotch, and adjustable knit cuff with hook & loop closure. Features A6 cut level meeting ANSI/ISEA 105-2016 and meets CE EN 388 4.

- > Size: XS-4XL
- > Case Pack: 72 Pairs



4891-I

ironwear.com

Hand Protection >

Dipped Gloves: Cut Resistant & Impact

Style 4885-L (A6)



PE blend knit, hi-vis lime, with black foam nitrile coated palm, sewn-in hi-vis TPR. and reinforced thumb crotch. Features A6 cut level meeting ANSI/ISEA 105-2016 and meets CE EN 388 4.

- > Size: XS-3XL
- > Case Pack: 72 Pairs



100% Polyester knit, hi-vis lime, with black Sandy Nitrile coated palm and hi-vis TPR. Features 360° A2 cut level meeting ANSI/ISEA 105-2016.

- > Size: MD-2XL
- > Case Pack: 72 Pairs

Style 4905 A5 T 2

Phantom glove made with 13 gauge high performance HPPE material. Heather grey knit with red Sandy Nitrile coated palm and hi-vis TPR. Features A5 cut level meeting ANSI/ISEA 105-2016 and meets Level 2 ANSI/ISEA 138-2019 impact protection.

- > Size: XS-3XL

- > Case Pack: 72 Pairs



4892-L



Style 4875

Hand Protection > Mechanic Gloves

Synthetic leather & flexible polyester, strategically placed magnets, soft pad impact points, adjustable cuff with hook & loop closure. Different color options, magnet placement, and backing material available upon request.

- > Size: SM-2XL
- > Case Pack: 72 Pairs

Style 4880

Synthetic leather & spandex, with silicone texture patterned palm, hi-vis lime back, adjustable cuff with hook & loop closure.

- > Size: SM-XL
- > Case Pack: 120 Pairs



Style 4872

& loop closure.

> Size: SM-3XL

> Case Pack: 72 Pairs

Split goat leather double palm, black

nylon back, adjustable cuff with hook









4880



HPPE knit, hi-vis lime, with PU coated palm and sewn-in flexible hi-vis TPR. Features A4 cut level meeting ANSI/ISEA 105-2016 and meets CE EN 388 3.

- > Size: SM-2XL
- > Case Pack: 72 Pairs


Style 4918-TPR (A4)

HPPE knit, hi-vis lime, with black Nitrile coated palm and sewn-in flexible hi-vis TPR, impact thumb guard, and reinforced thumb crotch. Features A4 cut level meeting ANSI/ISEA 105-2016 and meets CE EN 388 3.

4885-L

> Case Pack: 72 Pairs





- > Size: XS-2XL





Style 4966 A5

17" Long heavy duty hi-vis glove, with Nitrile coating, Sandy Nitrile coated palm, hi-vis TPR. and reinforced thumb crotch. Features A5 cut level meeting ANSI/ISEA 105-2016.

- > Size: MD-XL
- > Case Pack: 36 Pairs



Style 4890

Synthetic leather & spandex, grey back, reinforced black gel palm for comfort, adjustable cuff with hook & loop closure.

4872

- > Size: SM-XL
- > Case Pack: 120 Pairs

Style 4895

4875

Synthetic leather/PU leather/spandex, hi-vis lime back, lime & black palm, black TPR, reinforced thumb crotch, adjustable cuff with hook & loop closure.

- > Size: SM-2XL
- > Case Pack: 72 Pairs







4890

4895



Hand Protection > PVC Gloves

Style 4000, 4040, & 4070

Black PVC, smooth finish, single dipped, interlock lining, fully coated.

4000: 12" 4040: 14" **4070:** 18"

> Size: XL

> Case Pack: 10 Dozen



4000 4040 4070

Style 4020, 4060, & 4075

Black PVC, rough finish, single dipped, interlock lining, fully coated.

4020: 12" **4060:** 14" **4075:** 18"

> Size: XL

> Case Pack: 10 Dozen



4060 4075

Style 4030

12" Green PVC, sandy finish, double dipped.

> Size: XL

> Case Pack: 10 Dozen

Style 4031

12" Hi-vis orange PVC, sandy finish, double dipped.

> Size: XL

> Case Pack: 10 Dozen

Style 4032

12" Hi-vis lime PVC, sandy finish, double dipped.

> Size: XL

> Case Pack: 10 Dozen



4030

Hand Protection > PVC Gloves



4031



4032

Style 4090, 4091, & 4092

Black PVC, black, sandy finish, double dipped, interlock lining, fully coated.

4090: 10" 12" 4091: **4092:** 14"

> Size: XL

> Case Pack: 10 Dozen



4090 4091 4092

Style 4005

10" Black PVC, smooth finish, knit wrist, single dipped, interlock lining, fully coated, smooth finish.

> Size: XL

> Case Pack: 10 Dozen

Style 4080

12" Hi-vis orange PVC, double dipped, foam liner, slip-on cuff.

> Size: XL

> Case Pack: 10 Dozen

Style 4081

12" Hi-vis orange PVC, double dipped, foam liner, knit wrist.

> Size: XL

> Case Pack: 10 Dozen

Style 4082

12" Hi-vis orange PVC, double dipped, foam liner, safety cuff.

> Size: XL

> Case Pack: 10 Dozen



4005













4082

ironwear

Hand Protection > Unsupported Nitrile Gloves

Style 4621

Disposable blue nitrile, industrial grade, 4.0 mil thick, single use, ambidextrous, non-sterile, powder-free.

- > Size: SM-XL
- > Case Pack: 1,000 Each (10 boxes of 100 each)

Style 4622

Disposable black nitrile, 5.0 mil thick, single use, ambidextrous, non-sterile, powder-free.

- > Size: SM-XL
- > Case Pack: 1,000 Each (10 boxes of 100 each)

Style 4631, 4632, FDA & 4633

Disposable blue nitrile, examination, single use, ambidextrous, non-sterile, powder-free.

- > Size: SM-XL
- > Case Pack: 1,000 Each (10 boxes of 100 each)





4622



4633

4735

Style 4650

Yellow latex, 15 mil thick, unsupported, flock lined.

- > Size: SM-XL
- > Case Pack: 12 Dozen

Style 4834

Hand Protection > Latex & Mesh Gloves

Lightweight & flexible skinner glove with inner cotton liner and outer green natural rubber latex layer. Plastic fingertips between layers for added protection.

- > Size: MD-XL
- > Case Pack: 3 Dozen





Lightweight & flexible skinner glove with inner cotton liner and outer green natural rubber latex layer. No plastic fingertips.

- > Size: MD-XL
- > Case Pack: 3 Dozen



4834-NT

Style 4725

Green nitrile, 15 mil thick, 13" length, flock liner, embossed grip.

- > Size: 7-11
- > Case Pack: 10 Dozen

Style 4730

Green nitrile, 11 mil thick, unlined, 13" length, embossed grip.

> Size: 7-11

4621

> Case Pack: 10 Dozen

Style 4735

Yellow nitrile, 11 mil thick, ambidextrous, unlined, embossed grip.

- > Size: 7-11
- > Case Pack: 10 Dozen

Style 1273-L

100% Polyester hi-vis lime mesh.

4650

- > Sizes: MD and XL
- > Case Pack: 288 Each

Style 1273-0

4834

100% Polyester hi-vis orange mesh.

- > Sizes: MD and XL
- > Case Pack: 288 Each













1273-L

1273-O

Hand Protection > Woven & Knit Gloves

Style 4210

Natural canvas, 8 ounce, knit cuff.

- > Size: XL
- > Case Pack: 25 Dozen

Style 4230

Natural canvas, 10 ounce, knit cuff, black PVC dotted palm, thumb, index finger, and pinky finger.

- > Size: SM-XL
- > Case Pack: 25 Dozen

Style 4240 & 4250

Natural canvas, 10 ounce, knit cuff, hi-vis orange PVC dotted palm, thumb, index finger, and pinky finger.

4240: 10 ounce 4250: 12 ounce

- > Size: XL
- > Case Pack: 25 Dozen

Style 4312

String knit blended natural cotton/ polyester fabric, 50 grams per pair.

- > Size: LG
- > Case Pack: 25 Dozen

Style 4320

Hand Protection > Woven & Knit Gloves

String knit blended natural cotton/ polyester fabric, 50 grams per pair. Black PVC dotted palm for nonslip grip.

- > Size: LG and XL
- > Case Pack: 25 Dozen

Style 4330

String knit blended natural cotton/ polyester fabric, 50 grams per pair. Black PVC dotted back & palm for nonslip grip.

support@ironwear.com

- > Size: LG and XL
- > Case Pack: 25 Dozen





4230



4250







4320



4330

Style 4260-L

Cotton woven lime green fabric, 18 ounce, nap-in corded double palm, clute pattern, knit wrist, straight thumb.

- > Size: XL
- > Case Pack: 12 Dozen

Style 4260-W

Cotton woven white fabric, 18 ounce, nap-in corded double palm, clute pattern, knit wrist, straight thumb.

> Size: XL

4210

> Case Pack: 12 Dozen

Style 4260-0

Cotton woven hi-vis orange fabric, 18 ounce, nap-in corded double palm. clute pattern, knit wrist, straight thumb.

- > Size: XL
- > Case Pack: 12 Dozen

Style 4350

Terry, cotton/polyester blend fabric, knit cuff.

- > Size: XL
- > Case Pack: 10 Dozen

Style 4265-L

Cotton woven lime green fabric, 18 ounce, nap-in corded double palm. soft flexible hi-vis TPR, clute pattern, knit wrist, straight thumb.

- > Size: XL
- > Case Pack: 6 Dozen

Style 4267-W

Cotton woven white fabric, soft flexible hi-vis TPR, gauntlet cotton safety cuff, straight thumb. Cotton/polyester liner for added protection.

- > Size: XL
- > Case Pack: 5 Dozen





4260-W













4350

4265-L

4267-W





ironwear

Hand Protection >

Knit Gloves & Split Cowhide Leather Gloves

Style 4970-G (STM ANSI) (ATM ANSI) (ATM ANSI) (ATM ANSI)

HPPE seamless knit, grey, 10 gauge. Features A7 cut level meeting ANSI/ISEA 105-2016.

- > Size: XS-3XL
- > Case Pack: 120 Each

Style 4970-W (A7)

HPPE seamless knit, white, 10 gauge. Features A7 cut level meeting ANSI/ISEA 105-2016.

- > Size: XS-3XL
- > Case Pack: 120 Each

Style 4970-0 (STM ANS) (A7)

HPPE seamless knit, hi-vis orange, 10 gauge. Features A7 cut level meeting ANSI/ISEA 105-2016.

- > Size: XS-3XL
- > Case Pack: 120 Each

Style 4120

Split cowhide palm & back accents, grey/blue cotton back, pasted safety cuff, gunn cut pattern.

- > Size: XL
- > Case Pack: 10 Dozen

Style 4140

Hand Protection > Split Cowhide Leather Gloves

Split cowhide palm & back accents, grey/blue cotton back, rubberized safety cuff, gunn cut pattern.

- > Size: LG & XL
- > Case Pack: 10 Dozen

Style 4145

Split cowhide palm & back accents, grey/blue cotton back, rubberized gauntlet cuff, gunn cut pattern.

- > Size: XL
- > Case Pack: 10 Dozen









4970-O








4140

Style 4970-L A7/

HPPE seamless knit, hi-vis lime, 10 gauge. Features A7 cut level meeting ANSI/ISEA 105-2016.

- > Size: XS-3XL
- > Case Pack: 120 Each

Style 4100



> Size: XL

4970-G

> Case Pack: 10 Dozen

Style 4115



> Size: XL

4970-W

4100

> Case Pack: 10 Dozen

4115-01 to 4115-28: Please contact us to see other colors available in this glove

Style 4160

Split cowhide palm & back accents, teal leather double palm, grey/blue back, rubberized safety cuff, gunn cut pattern.

- > Size: LG & XL
- > Case Pack: 10 Dozen

Style 4160-TPR

Split cowhide palm & back accents, teal leather double palm, hi-vis TPR, grey/blue back, rubberized safety cuff, gunn cut pattern.

> Size: XL

4120

> Case Pack: 72 Pairs

Style 4180

Split cowhide palm & back accents, teal leather double palm, grey/blue back, rubberized gauntlet cuff, gunn cut pattern.

- > Size: XL
- > Case Pack: 10 Dozen









4115









4160 4160-TPR

4970-L

4180

Hand Protection > Leather Electrical & Welding Gloves



Style 4188







Goat grain leather electrical glove, multi-fiber lining & Kevlar® stitching, split cow leather bell cuff, reinforced fingers & palm, leather accents on back of fingertips > Size: XL & hand. Features A4 cut level meeting ANSI/ISEA 105-2016, puncture level 5, and ARC rating (ATPV) 40.4 cal/cm2.

- > Size: SM-3XL
- > Case Pack: 5 Dozen





Style 4198

> Case Pack: 5 Dozen



14" Brown split cow leather welding glove,

Kevlar® stitching, wing thumb.







Style 4198-BL

14" Blue split cow leather welding glove,

- > Size: XL

Kevlar® stitching, wing thumb.

- > Case Pack: 5 Dozen



Welding glove with goat grain leather and

4" cow split leather safety cuff. Insulated

inner back for better protection.

Style 4201 °

> Size: SM-2XL

> Case Pack: 5 Dozen



Hand Protection > Leather Welding & Driver Gloves

Style 4202

> Size: SM-2XL

and shirred elastic back.

> Case Pack: 10 Dozen

Welding glove with cow grain leather

palm, split leather back, keystone thumb,





Style 4203

> Case Pack: 5 Dozen

> Size: XL

13" Welding glove with split cow

leather back & cuff, goat grain leather

palm & index finger. Insulated palm.



4201 4202 4203

Style 4199

12" Tig welding glove, cow grain leather with split leather cuff, Kevlar® stitching, wing thumb.

4188

- > Size: LG-XL
- > Case Pack: 6 Dozen

Style 4200

16" Welding glove, split cow leather, Kevlar® stitching, double palm, wing thumb.

4198

- > Size: XL
- > Case Pack: 5 Dozen



Buffalo grain leather driver glove, keystone thumb, shirred elastic back.

- > Size: SM-5XL
- > Case Pack: 10 Dozen

Style 4189-OFTP \

Buffalo grain leather driver glove, keystone thumb, shirred elastic back, hi-vis orange fingertips, and "Watch Your Hands" on back.

- > Size: SM-3XL
- > Case Pack: 10 Dozen





4199 4200







4189-OFTP

4189

Hand Protection > Leather Driver Gloves



Style 4192

Cow split leather driver glove, keystone thumb.

- > Size: SM-2XL
- > Case Pack: 10 Dozen

Style 4193

Cow split leather driver glove, straight thumb.

- > Size: SM-2XL
- > Case Pack: 10 Dozen

Style 4194-B

Economy grade leather driver glove, cow grain leather palm, cow split leather back, keystone thumb.

- > Size: SM-3XL
- > Case Pack: 10 Dozen

Hand Protection > Leather Driver Gloves

Style 4195B-LFTP

Cow grain leather driver glove, keystone thumb, shirred elastic back, hi-vis lime fingertips, and "Watch Your Hands" on back.

- > Size: XS-5XL
- > Case Pack: 10 Dozen

Style 4195B-OFTP

Cow grain leather driver glove, keystone thumb, shirred elastic back, hi-vis orange fingertips, and "Watch Your Hands" on back.

- > Size: XS-5XL
- > Case Pack: 10 Dozen

Style 4195B-OFTB

Cow grain leather driver glove, keystone thumb, shirred elastic back, hi-vis orange fingertips & back.

- > Size: XS-5XL
- > Case Pack: 10 Dozen









4193



4194-B



4195B-LFTP





4195B-OFTP



4195B-OFTB

4192

Style 4195 & 4195B

Cow grain leather driver glove, keystone thumb, shirred elastic back.

4195:

Premium grade leather > Size: XŠ-5XL

4195B:

Economy grade leather > Size: XS-7XL

> Case Pack: 10 Dozen

Style 4195B-LM

Cow grain leather driver glove, keystone thumb, shirred elastic back, hi-vis lime mesh with hi-vis orange leather strip.


- > Size: SM-3XL
- > Case Pack: 10 Dozen

Style 4195B-OFT

Cow grain leather driver glove, keystone thumb, shirred elastic back, hi-vis orange fingertips.

- > Size: XS-5XL
- > Case Pack: 10 Dozen

Style 4191



- > Size: SM-2XL
- > Case Pack: 10 Dozen

Style 4191-KL3 (A3)

Premium goat grain leather driver glove, multi-fiber liner, keystone thumb. shirred elastic back. Features A3 cut level meeting ANSI/ISEA 105-2016.

- > Size: SM-3XL
- > Case Pack: 10 Dozen

Style 4191-KL3-OFTP (A3)

Premium goat grain leather driver glove, multi-fiber liner, keystone thumb, shirred elastic back, hi-vis orange fingertips, and "Watch Your Hands" on back. Features A3 cut level meeting ANSI/ISEA 105-2016.

- > Size: SM-2XL
- > Case Pack: 10 Dozen



4195 4195B



4195B-LM







4195B-OFT









4191-KL3





4191-KL3-OFTP

4191

ironwear

Hand Protection > Leather Driver Gloves

<u>Style 4191-KL3-TPR → Style 4191-KL6-TPR → Style 4196-TL</u>

Premium goat grain leather driver glove, hi-vis TPR, multi-fiber liner, keystone thumb, shirred elastic back. Features A3 cut level meeting ANSI/ ISEA 105-2016.

- > Size: SM-3XL
- > Case Pack: 72 Pairs



Premium goat grain leather driver glove, hi-vis TPR, multi-fiber liner, keystone thumb, shirred elastic back. Features A6 cut level meeting ANSI/ ISEA 105-2016.

- > Size: SM-3XL
- > Case Pack: 72 Pairs

Premium cow grain leather driver glove, Thinsulate® liner, keystone thumb, shirred elastic back.

- > Size: SM-2XL
- > Case Pack: 10 Dozen









4191-KL6-TPR

4196-TL

Premium cow grain leather driver glove,

thumb, shirred elastic back. Features A3

hi-vis TPR, multi-fiber liner, keystone

cut level meeting ANSI/ISEA 105-2016.

> Size: SM-2XL

> Case Pack: 72 Pairs



Hand Protection > Leather Driver Gloves & Accessories

Style 4196-KL3-TPR (3) Style 4196-KL6-TPR (48) Style 4898 (45) Style 4898 (45)





Premium cow grain leather driver glove, hi-vis TPR, multi-fiber liner, keystone thumb, shirred elastic back, Features A6 cut level meeting ANSI/ISEA 105-2016.

- > Size: SM-2XL
- > Case Pack: 72 Pairs

Premium cow grain leather driver glove, hi-vis TPR, multi-fiber liner, palm & fingertip grip pads, palm gel padding, reinforced thumb crotch, keystone thumb. shirred elastic back. Features A5 cut level meeting ANSI/ISEA 105-2016 and meets CE EN 388 3.

- > Size: SM-2XL
- > Case Pack: 72 Pairs









4196-KL6-TPR

4898


Style 4196-FL

Premium cow grain leather driver glove, fleece liner, keystone thumb, shirred elastic back.

4191-KL3-TPR


- > Size: SM-5XL
- > Case Pack: 10 Dozen

Style 4196-KL3 (A3) Survey



- > Size: SM-5XL
- > Case Pack: 10 Dozen

Style 4196-KL3-OFTP (A3)



- > Size: SM-5XL
- > Case Pack: 10 Dozen

Style 4995

Plastic, tapered glove ring helps secure glove and sleeve of rainwear. Creates a water-tight seal between glove and sleeve.

- > Size: One size fits all
- > Case Pack: 2 Dozen

Style 5090

Plastic glove holder. Clips onto belt loop and gloves.

> Case Pack: 500 Each

5090-B: 5090-G: 5090-O:

5090-P: Blue 5090-R: Green Orange

Red 5090-Y: Yellow

Pink



4196-FL



4196-KL3





4196-KL3-OFTP















ironwear.com support@ironwear.com

Safety Vests

Ironwear Safety Vests combine high visibility elements and utility based features to help prevent struck-by hazards while on the job.

From different types of tape & patterns, to types of pockets & features, our safety vests can be personalized in any number of ways. We also offer in-house screen printing and heat transfer services that add your personal touch with a specific safety message or logo.

Types

- > Economy
- > Class 2
- > Class 3

Materials

- > Cotton
- > Modacrylic
- > Polyester

- > 3M Scotchlite Tape
- > Arc Rated
- > Breakaway
- > Chevron
- > Clear ID Badge Holder
- > Flame Resistant
- > Flame Retardant
- > Grommet Holes
- > Hook & Loop, Zipper, and Snap Closure

- > Pass Through Pockets
- > Pen Pockets
- > Radio Clip Holders
- > Tablet Pocket
- > Two Tone
- > UL Classified
- > X Pattern

Icon Ke





Breakaway Radio Clip

Equipped





Pocket







of Pockets

Flame retardant products have been evaluated under test method D6413 and will self-extinguish when caught on fire. Our flame

retardant garments ensure after flame is less than 2.0 seconds average and char length is less than 6" on average with no melting or dripping. Flame retardant products should never be used where an arc flash or flash fire is present.



Safety Vests >

Economy, 100% Polyester Mesh Vests

Style 1205 & 1260

100% Polyester hi-vis mesh fabric, black trim, hook & loop front closure.

1205: Orange 1260: Lime

> Size: One size fits all

> Case Pack: 150 Each



Style 1215 & 1216

100% Polyester hi-vis mesh fabric, black trim, hook & loop front closure, 1" reflective tape.

1215: Orange, lime tape Lime, orange tape

> Size: One size fits all

> Case Pack: 150 Each



Style 1217

100% Polyester hi-vis mesh fabric, black trim, hook & loop front closure, 1" silver reflective tape.

1217-0: Orange 1217-L: Lime

> Size: One size fits all

> Case Pack: 150 Each



Style 1220

100% Polyester blue mesh fabric with hi-vis lime trim, 2.5" silver reflective tape over 4" hi-vis lime fabric, adjustable hook & loop front and side closure.

Safety Vests >

> Size: MD/XL & 2XL/4XL

> Case Pack: 50 Each

Style 1235

100% Polyester hi-vis orange mesh fabric with hi-vis lime trim, 2" lime reflective tape, 1-3/8" chevron pattern on back, adjustable hook & loop front and side closure.

Economy, 100% Polyester Mesh Vests

> Size: MD/XL & 2XL/4XL

> Case Pack: 50 Each

Style 1236

100% Polyester hi-vis lime mesh fabric with hi-vis orange trim, 2" silver reflective tape, 1-3/8" chevron pattern on back, adjustable hook & loop front and side closure.

> Size: MD/XL & 2XL/4XL

> Case Pack: 50 Each







Style 1217-BRK-L

100% Polyester hi-vis lime mesh fabric, black trim, hook & loop front closure, 1" silver reflective tape, breakaway shoulders.

> Size: MD-2XL

> Case Pack: 100 Each

Style 1218

100% Polyester mesh fabric, black trim, hook & loop front closure, 1" lime reflective tape.

> Size: Regular & 2XL

> Case Pack: 150 Each

Style 1240 & 1250

100% Polyester hi-vis orange mesh fabric, black trim, hook & loop front closure.

1/2" silver reflective tape over 1240: 2" hi-vis lime fabric

1-3/8" fluorescent lime tape 1250:

> Size: One size fits all > Case Pack: 150 Each

Style 1251 & 1265

100% Polyester hi-vis lime mesh fabric, black trim, hook & loop front closure.

1-3/8" fluorescent orange tape 1251: 1265: 1/2" silver reflective tape over 2" hi-vis orange fabric

> Size: One size fits all

> Case Pack: 150 Each







1218-B: Blue

1218-R: Red

1218-G: Green













Safety Vests >

Economy, 100% Polyester Mesh Vests

Economy 1279 12





100% Polyester mesh fabric with black trim. 2" silver reflective tape with suspender pattern extending from mid back to shoulders and one 360° band around torso. Features front & side snap closure, 2 radio clip holders, 1 clear ID holder, 3 inside pockets, 4 outside pockets, 4 pen pockets, 1 tablet pocket, 2 grommets.

1279-BS-RD-CID: Blue 1279-RS-RD-CID: Red

> Size: SM-4XL

> Case Pack: 50 Each





Economy 1284-Z



100% Polyester mesh fabric, 2" silver reflective tape in a suspender pattern with 360° band around torso, zipper front closure, 1 upper chest pocket, 2 lower chest pockets, 2 inside pockets.

1284-BZ: Blue, no radio clip holders

1284-PRZ-RD: Purple, 2 radio clip holders

1284-BKZ-RD: Black, 2 radio

clip holders

1284-GZ-RD: Green, 2 radio clip holders

1284-RZ-RD: Red, 2 radio

clip holders

1284FR-RZ-RD: Red, 2 radio

clip holders, flame retardant,

self-extinguishing

1284FR-BZ-RD: Blue, 2 radio

clip holders. flame retardant, self-extinguishing

> Size: SM-6XL > Case Pack: 50 Each



1284-BZ



1284-PRZ-RD

1284FR-RZ-RD





1284-BKZ-RD



1284-GZ-RD





1284FR-BZ-RD

Safety Vests > Class 2, 100% Polyester Mesh Vests

Style 1231-LZ **2**

100% Polyester hi-vis lime mesh fabric with silver reflective trim, 2" silver reflective tape in a suspender pattern with 360° band around torso, zipper front closure, 2 lower pockets. ANSI/ISEA 107-2020, Class 2.

- > Size: MD-5XL
- > Case Pack: 50 Each





Style 1241-OZ-RD-CID **10**







100% Polyester hi-vis orange mesh fabric with silver reflective trim, 2.5" silver reflective tape over 4" hi-vis lime fabric in a suspender pattern, one 360° band around torso, and vertical tape extending from lower back to shoulders. Features zipper front closure, 2 radio clip holders, 1 clear ID holder, 1 inside lower pocket, 1 inside lower tablet pocket, 2 outside lower pockets, 1 upper left chest pocket, 1 upper right chest pocket with 4 pen holders, 4 grommets. ANSI/ISEA 107-2020, Class 2.

- > Size: SM-5XL
- > Case Pack: 50 Each



1241-OZ-RD-CID

(Back)

Style 1241-LZ-RD-CID **10**

100% Polyester hi-vis lime mesh fabric with silver reflective trim, 2.5" silver reflective tape over 4" hi-vis orange fabric in a suspender pattern, one 360° band around torso, and vertical tape extending from lower back to shoulders. Features zipper front closure, 2 radio clip holders, 1 clear ID holder, 1 inside lower pocket, 1 inside lower tablet pocket, 2 outside lower pockets, 1 upper left chest pocket, 1 upper right chest pocket with 4 pen holders, 4 grommets. ANSI/ISEA

- > Size: SM-5XL
- > Case Pack: 50 Each





1241-LZ-RD-CID

(Back)

107-2020, Class 2.

Safety Vests > Class 2, 100% Polyester Mesh Vests

Style 1245-LZ-RD **11**



100% Polyester hi-vis lime mesh fabric with black mesh side accents and silver reflective & black trim. 2" silver reflective tape over 4" hi-vis orange fabric in a suspender pattern, one 360° band around torso, and vertical tape extending from lower back to shoulders. Features zipper front closure, 2 radio clip holders, 2 lower front pockets, 2 upper left chest pockets, 1 inside lower left pocket, 1 inside lower right tablet pocket with hook & loop closure, 1 upper right chest pocket with 4 pen holders, pocket grommets. ANSI/ISEA 107-2020, Class 2.

> Size: SM-5XL

> Case Pack: 50 Each







1245-LZ-RD

Style 1245-OZ-RD **11**



100% Polyester hi-vis orange mesh fabric with black mesh side accents and silver reflective & black trim. 2" silver reflective tape over 4" hi-vis lime fabric in a suspender pattern, one 360° band around torso, and vertical tape extending from lower back to shoulders. Features zipper front closure, 2 radio clip holders, 2 lower front pockets, 2 upper left chest pockets, 1 inside lower left pocket, 1 inside lower right tablet pocket with hook & loop closure, 1 upper right chest pocket with 4 pen holders, pocket grommets. ANSI/ISEA 107-2020, Class 2.

> Size: SM-5XL

> Case Pack: 50 Each



1245-OZ-RD



(Back)

Safety Vests > Class 2, 100% Polyester Mesh Vests

Style 1246-F-RD 1

Public safety FIRE vest designed for working in potentially hazardous environments. 100% Polvester hi-vis lime mesh fabric with red trim. 2" silver reflective tape over 4" red 3M® Scotchlite™ reflective tape in a suspender pattern with 360° band around torso. Features "FIRE" on back, hook & loop front closure, adjustable sides, 2 radio clip holders, 1 clear ID holder, 1 upper chest pocket, 5 point breakaway system. ANSI/ISEA 107-2020, Class 2.

> Size: MD/XL & 2XL/4XL


> Case Pack: 50 Each







Style 1246-P-RD **1**



> Size: MD/XL & 2XL/4XL > Case Pack: 50 Each





Style 1246-S-RD **1**





Public safety SHERIFF vest designed for working in potentially hazardous environments. 100% Polyester hi-vis lime mesh fabric with brown trim. 2" silver reflective tape over 4" brown 3M® Scotchlite™ reflective tape in a suspender pattern with 360° band around torso. Features "SHERIFF" on back, hook & loop front closure, adjustable sides, 2 radio clip holders, 1 clear ID holder, 1 upper chest pocket, 5 point breakaway system. ANSI/ISEA 107-2020, Class 2.

> Size: MD/XL & 2XL/4XL > Case Pack: 50 Each



1246-S-RD



(Back)



Safety Vests > Class 2, 100% Polyester & 100% Cotton Vests

Style 1247-L **3**

100% Polyester hi-vis lime mesh fabric, 2" silver reflective tape in a suspender pattern with 360° band around torso, adjustable hook & loop front and side closures, 1 lower pocket, 1 chest pocket, 1 inside chest pocket. ANSI/ISEA 107-2020, Class 2.

> Size: One size fits all > Case Pack: 50 Each





reflective tape in a suspender pattern with 360° band around torso, zipper front closure, 2 radio clip holders, 1 upper chest pocket, 2 lower front pockets. Arc rating 8.7 ATPV, CAT2. ANSI/ISEA 107-2020, Class 2.

> Size: MD-4XL

> Case Pack: 50 Each





1255FR-LZ-RD

(Back)

Style 1269

100% Polyester hi-vis mesh fabric, adjustable hook & loop front and side closure. 2" silver reflective tape in a suspender pattern with 360° band around torso. ANSI/ISEA 107-2020, Class 2.

1269-L: Lime **1269-O:** Orange

> Size: One size fits all > Case Pack: 50 Each



Safety Vests > Class 2, 100% Polyester Mesh & Fabric Vests

Style 1277-LZ 13



100% Polyester hi-vis lime fabric front & mesh fabric in back, 2" silver reflective tape over 4" hi-vis orange fabric in a suspender pattern, one 360° band around torso, and vertical tape extending down lower back. Features zipper front closure, 2 radio clip holders, 6 chest pockets, 4 front lower flap pockets, 2 inside upper pocket, 1 large back pocket. ANSI/ISEA 107-2020, Class 2.

1277-LZ-RD: Lime

Lime, flame retardant, 1277FR-LZ-RD:

self-extinguishing

> Size: SM-5XL

> Case Pack: 50 Each








(Back)

Style 1277-OZ [13]



1277-OZ-RD: Orange

1277FR-OZ-RD: Orange, flame retardant, self-extinguishing

> Size: SM-5XL > Case Pack: 50 Each



1277-OZ-RD 1277FR-OZ-RD



(Back)

Style 1278FR-LZ-RD **16**



100% Polyester hi-vis lime fabric front, mesh back, black trim, 2" silver reflective tape over 4" hi-vis orange fabric, one 360° band around torso, horizontal tape across shoulder blades, horizontal tape on upper chest pockets, and vertical tape extending from lower back to shoulders. Features zipper front closure, 2 radio clip holders, 2 chest pockets, 2 front lower pockets, 2 front lower pockets for radio/water bottle, 1 large back pocket, 1 inside upper pocket, 2 inside lower zipper pockets, 4 pen pockets, 2 front open lower pockets, grommets to hold flagging tape. ANSI/ISEA 107-2020, Class 2.

> Size: MD-4XL > Case Pack: 50 Each



1278FR-LZ-RD



(Back)




ironwear.com support@ironwear.com

Safety Vests > Class 2, 100% Polyester Mesh Vests

Style 1279 12





1279-LS-RD-CID: Lime

> Size: SM-5XL

1279-OS-RD-CID: Orange

> Size: SM-4XL

> Case Pack: 50 Each





1279-LS-RD-CID

1279-OS-RD-CID

Style 1279-LZ-RD-CID | 12





100% Polyester hi-vis mesh fabric with black trim, 2" silver reflective tape with suspender pattern extending from mid back to shoulders and one 360° band around torso. Features zipper front closure, 2 radio clip holders, 1 clear ID holder, 3 inside pockets, 4 outside pockets, 4 pen pockets, 1 tablet pocket, 2 grommets. ANSI/ISEA 107-2020, Class 2.

> Size: SM-5XL

> Case Pack: 50 Each







Style 1284 5



100% Polyester hi-vis mesh fabric, 2" silver reflective tape in a suspender pattern with 360° band around torso, hook & loop front closure, 1 chest pocket, 2 front pockets, 2 inside pockets. ANSI/ISEA 107-2020, Class 2.

1284-L: Lime 1284-0: Orange

> Size: SM-6XL

1284FR-L: Lime, flame retardant, self-extinguishing

> Size: SM-5XL

Orange, flame retardant, self-extinguishing






1284-L 1284FR-L

1284-O 1284FR-O

Safety Vests > Class 2, 100% Polyester Mesh Vests

Style 1284-Z **5**




1284-LZ: Lime 1284-OZ: Orange

1284FR-LZ: Lime, flame retardant, self-extinguishing

Orange, flame retardant, 🦓 1284FR-OZ: self-extinguishing

> Size: SM-5XL > Case Pack: 50 Each

Style 1284-Z-RD



1284-LZ-RD: Lime 1284-OZ-RD: Orange

1284FR-LZ-RD: Lime, flame retardant, self-extinguishing

Orange, flame retardant, & 1284FR-OZ-RD: self-extinguishing

> Size: SM-6XL > Case Pack: 50 Each

Style 1284-Z-RD-CID **5**

100% Polyester hi-vis mesh fabric, 2" silver reflective tape in a suspender pattern with 360° band around torso, zipper front closure, 2 radio clip holders, 1 clear ID holder, 1 chest pocket, 2 front pockets, 2 inside pockets. ANSI/ISEA 107-2020, Class 2.

1284-LZ-RD-CID: Lime 1284-OZ-RD-CID: Orange

1284FR-LZ-RD-CID: Lime, flame retardant, self-extinguishing

1284FR-OZ-RD-CID: Orange, flame retardant, & self-extinguishing

> Size: SM-6XL > Case Pack: 50 Each



1284-LZ 1284FR-LZ



1284-OZ 1284FR-OZ







1284-OZ-RD 1284FR-OZ-RD



1284-LZ-RD-CID 1284FR-LZ-RD-CID



1284-OZ-RD-CID 1284FR-OZ-RD-CID

> Case Pack: 50 Each



Safety Vests > Class 2, 100% Polyester Mesh Vests

Style 1284-BRK-L **5**



100% Polyester hi-vis lime mesh fabric, 2" silver reflective tape in a suspender pattern with 360° band around torso, hook & loop front closure, breakaway on shoulders & sides, 1 chest pocket, 2 front pockets, 2 inside pockets. ANSI/ISEA 107-2020, Class 2.

> Size: MD-4XL

> Case Pack: 50 Each





Style 1285

100% Polyester hi-vis mesh, 2" silver reflective tape in a suspender pattern with 360° band around torso, hook & loop front closure. ANSI/ISEA 107-2020, Class 2.

1285-L: Lime 1285-O: Orange

> Size: SM-5XL

> Case Pack: 50 Each



Safety Vests > Class 2, 100% Polyester Mesh Vests & Fabric Vests



(Back)

Style 1284FR-LZ-RD-X **5**





100% Polyester hi-vis lime mesh fabric, 2" silver reflective tape in a suspender pattern on front, "X" pattern on the back, and one 360° band around torso. Features zipper front closure, 1 chest pocket, 2 front pockets, 2 inside pockets. ANSI/ISEA 107-2020, Class 2.

> Size: SM-5XL

> Case Pack: 50 Each







100% Polyester hi-vis fabric, 2" silver reflective tape in a suspender pattern with 360° band around torso, hook & loop front closure. ANSI/ISEA 107-2020, Class 2.

1286-L: Lime **1286-O:** Orange

> Size: MD-4XL > Case Pack: 50 Each



1285-O



(Back)

(Back)

Style 1284-LZ-PT **5**

100% Polyester hi-vis lime mesh fabric with pink trim, 2" silver reflective tape over 4" hi-vis pink fabric in a suspender pattern, one 360° band around torso. Featuring zipper front closure, 1 chest pocket, 2 front pockets, 2 inside pockets. ANSI/ISEA 107-2020, Class 2.

> Size: SM-4XL

> Case Pack: 50 Each









Safety Vests > Class 2, 100% Polyester Mesh Vests

Style 1287-Z **6**

100% Polyester hi-vis mesh fabric, 2" silver reflective tape over 4" hi-vis contrasting fabric in a suspender pattern, one 360° band around torso, and vertical tape extending down lower back. Features zipper front closure, 2 front pockets, 2 inside pockets, 2 chest pockets. ANSI/ISEA 107-2020, Class 2.

1287-LZ:

Lime

> Size: SM-7XL

1287-OZ:

Orange

> Size: SM-5XL

> Case Pack: 50 Each













(Back)

Style 1287-Z-RD **6**

100% Polyester hi-vis mesh fabric, 2" silver reflective tape over 4" hi-vis contrasting fabric in a suspender pattern, one 360° band around torso, and vertical tape extending down lower back. Features zipper front closure, 2 radio clip holders, 2 front pockets, 2 inside pockets, 2 chest pockets. ANSI/ISEA 107-2020, Class 2.

1287-LZ-RD:

Lime

> Size: SM-5XL

1287-OZ-RD:

Orange

> Size: MD-4XL

1287FR-LZ-RD:

Lime. self-extinguishing

> Size: SM-8XL

1287FR-OZ-RD:

Orange, flame retardant,

self-extinguishing > Size: MD-5XL


> Case Pack: 50 Each



1287FR-OZ-RD

Safety Vests > Class 2, 100% Polyester Mesh Vests

Style 1287-Z-RD-CID **6**



1287FR-LZ-RD-CID:

Lime, flame retardant, & self-extinguishing

> Size: MD-5XL

1287-OZ-RD-CID:


Orange

> Size: MD-4XL


> Case Pack: 50 Each



1287FR-LZ-RD-CID



Style 1287-BRK



100% Polyester hi-vis mesh fabric, 2" silver reflective tape over 4" hi-vis contrasting fabric in a suspender pattern, one 360° band around torso, and vertical tape extending down lower back. Features hook & loop front closure, breakaway on shoulders & sides, 2 radio clip holders, 2 front pockets, 2 inside pockets, 2 chest pockets. ANSI/ISEA 107-2020, Class 2.

1287-BRK-L:

Lime

> Size: SM-4XL

1287-BRK-O:

Orange

1287FR-BRK-L:

Lime, flame retardant, self-extinguishing

1287FR-BRK-O:

Orange, flame retardant, 🏡 self-extinguishing

> Size: MD-4XL



1287-BRK-L 1287FR-BRK-L



1287-BRK-O 1287FR-BRK-O

> Case Pack: 50 Each

Style 1287FR-LZ-RD-X



100% Polyester hi-vis lime mesh fabric, 2" silver reflective tape over 4" hi-vis orange fabric in a suspender pattern on front, "X" pattern on the back, and one 360° band around torso. Features zipper front closure, 2 radio clip holders, 2 front pockets, 2 inside pockets, 2 chest pockets. ANSI/ISEA 107-2020, Class 2.

- > Size: SM-5XL
- > Case Pack: 50 Each







(Back)



Safety Vests > Class 2, 100% Polyester Chevron Mesh Vests

Style 1288-0

100% Polyester hi-vis orange mesh with hi-vis lime trim, 2" hi-vis lime reflective tape, 1-3/8" chevron pattern on back, hook & loop front closure, 5 point breakaway. ANSI/ISEA 107-2020, Class 2.

- > Size: MD/XL & 2XL/4XL
- > Case Pack: 50 Each

Style 1289-0

100% Polyester hi-vis orange mesh with hi-vis lime trim, 2" silver reflective tape, 1-3/8" chevron pattern on back, hook & loop front closure, 5 point breakaway. ANSI/ISEA 107-2020, Class 2.

> Size: MD/XL & 2XL/4XL

> Case Pack: 50 Each

Style 1290-0

100% Polyester hi-vis orange mesh with hi-vis lime trim, 2.5" silver reflective tape over 4" hi-vis lime fabric, chevron pattern on back, hook & loop front closure, 5 point breakaway. ANSI/ISEA 107-2020, Class 2.

1290-O: Orange

1290FR-O: Orange, flame retardant,

self-extinguishing

> Size: MD/XL & 2XL/4XL

> Case Pack: 50 Each

Style 1290-L

100% Polyester hi-vis lime mesh with hi-vis orange trim, 2.5" silver reflective tape over 4" hi-vis orange fabric, chevron pattern on back, hook & loop front closure, 5 point breakaway. ANSI/ISEA 107-2020. Class 2.

1290-L: Lime

1290-FR: Lime, flame retardant, (

self-extinguishing

> Size: MD/XL & 2XL/4XL > Case Pack: 50 Each





1288-O



(Back)







1290-O





(Back)

Safety Vests > Class 2, Modacrylic Vests

Style 1257FR-LZ-RD (3) [3]



60% Modacrylic/40% cotton hi-vis lime mesh, 2" silver reflective tape in a suspender pattern with 360° band around torso, zipper front closure, 2 radio clip holders, 2 lower chest pockets, 1 upper chest pocket. ASTM 1506, Arc Rating ATPV 5.1, CAT1. ANSI/ISEA 107-2020, Class 2.

- > Size: SM-5XL
- > Case Pack: 25 Each





1257-FR-LZ-RD

(Back)

Style 1264FR-BRK-L (3) 3 H

100% Modacrylic hi-vis lime mesh, 2" silver reflective tape in a suspender pattern with 360° band around torso, hook & loop front closure, breakaway shoulder & sides, 2 lower chest pockets, 1 upper chest pocket. ASTM 1506, Arc Rating ATPV 5.1, CAT2. NFPA 70E-2015. ANSI/ISEA 107-2020, Class 2.

- > Size: SM-5XL
- > Case Pack: 50 Each









100% Modacrylic hi-vis lime mesh, 2" silver reflective tape in a suspender pattern with 360° band around torso, 2 radio clip holders, 2 lower chest pockets, 1 upper chest pocket. ASTM 1506, Arc Rating ATPV 5.1, CAT1. NFPA 70E-2015. ANSI/ISEA 107-2020, Class 2.

1266FR-L-RD: Hook & Loop

Front Closure

1266FR-LZ-RD: Zipper Front Closure

- > Size: MD-5XL
- > Case Pack: 50 Each





1266FR-L-RD

1266FR-LZ-RD



Safety Vests > Class 3, Cotton & Modacrylic Vests

Style 1256FR-LZ-RD (**) (3) (3) (6)














> Size: SM-4XL

> Case Pack: 50 Each





(Back)

Style 1258FR-LZ-RD (3) [3]









60% Modacrylic/40% cotton hi-vis lime mesh, 2" silver reflective tape in a suspender pattern with one 360° band around torso and one 360° band per arm. Features zipper front closure, 2 radio clip holders, 1 upper chest pocket, 2 lower front pockets. ASTM 1506. Arc Rating ATPV 5.1, CAT1. ANSI/ISEA 107-2020, Class 3.

> Size: SM-5XL

> Case Pack: 25 Each








1256-FR-LZ-RD



Style 1267FR-L-RD (3) 3







> Size: MD-4XL

> Case Pack: 50 Each





1267-FR-L-RD

Safety Vests > Class 3, 100% Polyester Mesh & Fabric Vests

Style 1280-LS-RD-CID **12**

100% Polyester hi-vis lime mesh fabric with black trim, 2" silver reflective tape with suspender pattern extending from mid back to shoulders, one 360° band around torso, and one 360° band per arm. Features front & side snap closure, 2 radio clip holders, 1 clear ID holder, 2 chest pockets, 2 front lower flap pockets, 2 inside lower pockets, 4 pen pockets, 1 inside chest pocket with flap, 1 back pass through pocket for tablet, 2 grommets. ANSI/ISEA 107-2020, Class 3.

> Size: MD-4XL

> Case Pack: 50 Each





1280-LS-RD-CID

(Back)

Style 1291 **3**

100% Polyester hi-vis fabric, 2" silver reflective tape in a suspender pattern with one 360° band around torso and one 360° band per arm. Features hook & loop front closure, 1 chest pocket, 2 inside pockets. ANSI/ISEA 107-2020, Class 3.

1291-L: Lime 1291-O: Orange

> Size: MD-4XL

> Case Pack: 50 Each



Style 1292 3

100% Polyester hi-vis mesh, 2" silver reflective tape in a suspender pattern with one 360° band around torso and one 360° band per arm. Features hook & loop front closure, 1 chest pocket, 2 inside pockets. ANSI/ISEA 107-2020, Class 3.

1292-L: Lime

> Size: MD-5XL

1292-0: Orange

> Size: MD-4XL

> Case Pack: 50 Each





1292-O

ironwear.com support@ironwear.com

Safety Vests > Class 3, 100% Polyester Mesh Vests

Style 1293-Z **6**

100% Polyester hi-vis mesh fabric, 2" silver reflective tape over 4" hi-vis contrasting fabric in a suspender pattern, one 360° band around torso, and vertical tape extending down lower back. Features zipper front closure, 2 lower front flap pockets, 2 inside pockets, 2 upper chest pockets. ANSI/ISEA 107-2020, Class 3.

1293-LZ: 1293-OZ: Orange

> Size: SM-5XL

> Case Pack: 50 Each





1293-LZ

Lime

<u>Style 1293FR-Z-RD</u> **6**

100% Polyester hi-vis mesh fabric, 2" silver reflective tape over 4" hi-vis contrasting fabric in a suspender pattern, one 360° band around torso, and vertical tape extending down lower back. Features zipper front closure, 2 radio clip holders, 2 lower front flap pockets, 2 inside pockets, 2 upper chest pockets. ANSI/ISEA 107-2020, Class 3.

1293FR-LZ-RD: Lime


> Size: SM-5XL

1293FR-OZ-RD: Orange

> Size: MD-5XL

> Case Pack: 50 Each

Style 1293-BRK-RD **6**



1293-BRK-L-RD: Lime 1293-BRK-O-RD: Orange

> Size: MD-4XL

> Case Pack: 50 Each







1293FR-LZ-RD

1293FR-OZ-RD

1293-BRK-O-RD

1293-BRK-L-RD

Safety Vests > Class 3, 100% Polyester Mesh Vests

Style 1294-Z **5**

100% Polyester hi-vis fabric, 2" silver reflective tape in a suspender pattern with one 360° band around torso and one 360° band per arm. Features zipper front closure, 1 upper chest pocket, 2 inside pockets, 2 lower front pockets. ANSI/ISEA 107-2020, Class 3.

1294-LZ: Lime

> Size: SM-7XL

1294-OZ: Orange

> Size: MD-5XL

> Case Pack: 50 Each



1294-LZ



1294-OZ

Style 1294FR **5**

100% Polyester hi-vis fabric, 2" silver reflective tape in a suspender pattern with one 360° band around torso and one 360° band per arm. Features hook & loop front closure, 1 upper chest pocket, 2 inside pockets, 2 lower front pockets. ANSI/ISEA 107-2020, Class 3.

1294FR-L: Lime 1294FR-O: Orange

> Size: MD-4XL

> Case Pack: 50 Each





Style 1294-LZ-RD-X **5**

100% Polyester hi-vis lime fabric, 2" silver reflective tape in a suspender pattern on front, "X" pattern on the back, one 360° band around torso, and one 360° band per arm. Features zipper front closure, 2 radio clip holders, 1 upper chest pocket, 2 inside pockets, 2 lower front pockets. ANSI/ISEA 107-2020, Class 3.

> Size: SM-5XL

> Case Pack: 50 Each



1294-LZ-RD-X

(Back)



Safety Vests > Class 3, 100% Polyester Mesh Vests

Style 1296-LZ-RD 6





100% Polyester hi-vis lime mesh fabric with black mesh side accents and black trim. 2" silver reflective tape over 4" hi-vis orange fabric in a suspender pattern, one 360° band around torso, and vertical tape extending from lower back to shoulders. Features zipper front closure, 2 radio clip holders, 2 front pockets, 1 inside pocket, 1 inside tablet pocket, 2 chest pockets, pocket grommets. ANSI/ISEA 107-2020, Class 3.

> Size: SM-5XL

> Case Pack: 50 Each



Style 1296-OZ-RD **6**







> Size: MD-5XL

> Case Pack: 50 Each



Safety Vests > Class 3, 100% Polyester Mesh Vests

Style 1299-LZ-RD-CID 6





tape over 4" hi-vis orange fabric in a suspender pattern, one 360° band around torso, and vertical tape extending from lower back to shoulders. Features zipper front closure, 2 radio clip holders, 1 clear ID holder, 2 front pockets, 2 inside pockets, 2 chest pockets. ANSI/ISEA 107-2020, Class 3.


> Size: MD-5XL

> Case Pack: 50 Each



Style 1299-OZ-RD-CID **6**





> Size: MD-5XL

(Back)

> Case Pack: 50 Each



ironwear.com

Head Protection

Ironwear's Head Protection is not only reliable, but is also comfortable, adjustable, and configurable.

With our in-house pad printing services, add your personal touch with a specific safety message or logo.

<u>Types</u>

- > Safety Helmets & Accessories
- > Helmet & Hard Hat Covers
- > Hard Hats
- > Bump Caps
- > Visor Brackets & Visors
- > Nylon Suspension
- > Héadgear
- > Face Shield
- > Booney & Beanie Hats
- > Bouffants & Beard Net

Helmet/Hard Hat Features

- > 4/6 Point Suspension
- > ANSI / ISEA Z89.1
- > Classes C, E and E, G & C
- > Chin Strap
- > PE Suspension
- > Pin Closure
- > Ratchet Closure > Reverse Donning
- > Type II
- > Vented

Visor Features

- > Preformed
- > PC or PETG
- > Scratch Resistant

Icon Key



Reversible Donning

Flame Retardant



Flame retardant products have been evaluated under test method D6413 and will self-extinguish when caught on fire. Our flame

retardant garments ensure after flame is less than 2.0 seconds average and char length is less than 6" on average with no melting or dripping. Flame retardant products should never be used where an arc flash or flash fire is present.

Head Protection > Helmet & Hard Hat Color Options

P - Pink R - Red REB - Robin's Egg Blue W - White T - Tan O - Orange LB - Light Blue LGR - Light Grey LBU - Light Buff HO - Hi-Vis Orange B - Blue G - Grey GO - Gold Y - Yellow N - Navy S - Silver BR - Brown L - Lime PR - Purple

M - Maroon

LG - Lime Green

DG - Dark Green

Head Protection > Raptor Helmets

Raptor 3975 & 3976

Safety helmet with chin strap and 4 point suspension ratchet. Type 2 for protection from a blow to the top and sides of head. Made of Polycarbonate & Acrylonitrile butadiene styrene.

Meets ANSI Z89.1.

> Size: 6.5 - 8 > Case Pack: 12 Each **Type II:** For protection to a blow to

the top and sides of head High temperature up to 120° f +/- 3.6° f HT:

LT: Low temperature above -22° f +/- 3.6° f

3975: Non-vented helmet,

Class E (Electrical, tested to 22,000 V)

3976:

Vented helmet, Class C (Conductive)



BL - Black

Head Protection > Raptor Helmet Accessories

Style 3975 **Style** 3984 **Style** 1750 (Page 184) **Style** 3948 **^ Style** 3939 (Page 64)

Style 1750

Ear muff. Connects to Raptor helmets. NRR rated 24 dB. Meets ANSI 53.19.

> Case Pack: 60 Pairs



1750

Style 3984

Safety helmet clips. Connects to Raptor helmets. Help straps stay securely onto helmet.

> Case Pack: 50 Sets of 4 each

Style 3948

Plastic visor bracket. Connects to Raptor helmets. Visor connects to bracket.

> Case Pack: 25 Each





3984 3948

Head Protection > Raptor Helmet Accessories



Style 3950

Aluminum visor bracket. Connects to Raptor helmets. Visor connects to bracket.

> Case Pack: 25 Each



Style 3982

Padding replacement for Raptor helmets (not shown in diagram).

> Case Pack: 100 Each



3982

Style 3981

Ratchet suspensions & chin strap replacements for Raptor helmets.

> Case Pack: 100 Each



3950

Style 3993

Head lamp with adjustable lens & adjustable 90° angle. Fits securely on Raptor helmets. Requires 3 x AAA batteries (not included).

> Case Pack: 50 Each



3993

Head Protection > Raptor Cover & Hard Hat Covers

Style 3983FR-L

100% Polyester hi-vis lime mesh visor & neck shade with elastic band. Features flame retardant & self-extinguishing fabric, 1" silver reflective tape over 2" hi-vis orange fabric, and 1 pocket. Fits over Raptor helmets. Raptor helmet not included.

> Size: One size fits all

> Case Pack: 50 Each




Style 1270

100% Polyester hi-vis mesh visor & neck shade with elastic band. Features 1" silver reflective tape over 2" contrast fabric. Fits both standard and full brim hard hats. Hard hat not included.

1270-L: Lime **1270-O:** Orange

> Size: One size fits all

> Case Pack: 50 Each




Style 1272

100% Polyester hi-vis mesh neck shade with elastic band. Features 1" silver reflective tape over 2" contrast fabric. Fits both standard and full brim hard hats. Hard hat not included.

1272-L: Lime **1272-O:** Orange

> Size: One size fits all > Case Pack: 50 Each



Head Protection > Hard Hats & Bump Caps

Style 3961

Hard hat, HDPE (high density polyethylene), 6 point nylon suspension with ratchet closure, reversible donning. Meets ANSI Z89.1 type 1 for class E, G & C. See color options available on page 57.

> Size: One size fits all

> Case Pack: 20 Each





Style 3970

Full brim hard hat, HDPE (high density polyethylene), 6 point nylon suspension ratchet closure, reversible donning. Meets ANSI Z89.1 type 1 for class E, G & C. See color options available on page 57.

> Size: One size fits all Case Pack: 20 Each





Style 3985

Bump cap, HDPE (high density polyethylene), PE suspension and pin lock closure. See color options available on page 57.

> Size: One size fits all

> Case Pack: 40 Each





Head Protection > Visor Brackets & Visors

Style 3943, 3944, & 3946

Safety visor bracket. Attaches to standard hard hat.

3943: Black, plastic 3944: Black, aluminum 3946: Silver, aluminum

> Case Pack: 25 Each

Style 3945 & 3947

Safety visor bracket. Attaches to full brim hard hat.

3945: Black, aluminum 3947: Silver, aluminum

> Case Pack: 25 Each



3944

Style 3937, 3939, 3940, & 3941

Safety visor, attaches to bracket on hard hat or directly to head gear 3942 headgear. Meets ANSI Ž87.1.

High impact safety visor (Z87.1+)

Clear, .040" x 6" x 151/2", PETG 3937: 3939: Clear, .040" x 8" x 151/2", PETG

3939-G: Green, .040" x 8" x 151/2", PETG, shade 5

Clear, .040" x 8" x 151/2", PC 3940-P04: 3940-P06: Clear, .060" x 8" x 151/2", PC

> Case Pack: 100 Each

Economy safety visor (0.040" x 8" x 151/2", PETG/PET)

3940: Clear

3940-G: Green, shade 5 3940-LG: Light green, shade 3

> Case Pack: 100 Each

3941: Clear, hook & loop

> Case Pack: 50 Each





3940-LG

Head Protection > Visors & Nylon Suspension



Style 3938-C

Clear preformed scratch resistant visor. Protects against chemical splash & impact. Universal fit to attach to most headgear. Meets ANSI Z87.1 standards (Z87.1+ high impact). Hard hat & bracket not included.

> Case Pack: 50 Each

Style 3938-G

Green preformed scratch resistant visor. Protects against chemical splash & impact. Universal fit to attach to most headgear. Meets ANSI Z87.1 standards (Z87.1+ high impact). Hard hat & bracket not included.

> Case Pack: 50 Each

Style 3949

Steel mesh visor. Attaches to most Ironwear visor brackets, except for 3945 & 3947 full brim visor brackets. Hard hat & bracket not included.

> Case Pack: 50 Each

Style 3980

6 Point nylon suspension with ratchet closure, to be used with 3961 & 3970. Hard hat not included.

> Case Pack: 50 Each



3980

ironwear

Head Protection > Headgear & Face Shield

Style 3942

Headgear with ratchet adjustment. Fastens to head with attached visor for face protection. Safety visor not included.

3942: Black 3942-B: Blue

> Case Pack: 24 Each



Style 3956

Lightweight, anti-fog disposable one-piece face shield. Optically clear & distortion free for maximum visibility and full length for splash protection. Foam headrest relieves pressure for user comfort.

> Case Pack: 100 Each



Head Protection > Booney Hats, Beanies, Bouffants, & Beard Net

Style 1271

Hi-vis booney hat with adjustable neck strap and reflective trim around brim. Features 1" silver reflective tape over 2" hi-vis contrasting fabric in 360° continuous band around head.

1271-L: Lime

> Case Pack: 50 Each

1271-O: Orange

> Case Pack: 100 Each

> Size: One size fits all

Style 1243

100% Hi-vis acrylic beanie hat. Features silver reflective fabric in 360° continuous band around head.

1243-L: Lime **1243-O:** Orange

> Size: One size fits all > Case Pack: 50 Each







1243-L

Style 5121, 5124, & 5128

Bouffant hair covers for most industries. Made of 100% Polypropylene. Available in 21", 24" and 28" sizes.

5121-W: White, 21" wide 5124-W: White, 24" wide 5128-W: White, 28" wide Blue, 21" wide 5121-BL: 5124-BL: Blue, 24" wide 5128-BL: Blue, 28" wide

> Case Pack: 1,000 Each



5124-W 5124-BL 5128-W 5128-BL

Style 5131-W

Disposable beard net. Made of 100% Polypropylene. Attaches to head with elastic strap.

> Case Pack: 1,000 Each



ironwear.com

Eyewear

We specialize in the manufacturing of ANSI approved safety eyewear, with Ironwear you'll find the right fit for any application.

We offer Anti-Fog options and polarized lenses in various styles, along with most frame styles. Our frame offerings have many shapes and designs for the best fit. Most frames are made from a high impact lightweight nylon for safety and comfort.

Types

- > Safety Glasses
- > Over the Glasses
- > Safety Goggles & Replacement Lens
- > Googles & Visor Set
- > Cleaning Towelettes
- > Goggle Retainer

Visor/face shields are listed

Features

- > Adjustable Extended Temples
- > Adjustable Ratchet Temples
- > Anti-Fog Lens
- > Bifocal Lens
- > Built-In Side Shield Protector
- > Chemical Resistant
- > Dielectric
- > Mirror Lens
- > Polarized Lens
- > Rubberized Bayonet Temples

- > Scratch Resistant Lens
- > Soft Rubber-Tipped Temples
- > Soft Nose Gel Pad
- > UVA & UVB Protection
- > Wraparound Lens

All safety glasses meet ANSI Z87.1-2020, features scratch resistant lenses and provides greater than 99% protection from UVA and UVB rays.





Premium grade anti-fog features last over 6 months based on application.



Safety products containing metal can be sensed by a metal detector.



Eyewear > Safety Glasses



Monroe 3020

Premium anti-fog safety glasses with ventilation, scratch resistant lenses, black nylon frame, and removable cushioned insert. Comes with interchangeable strap.
Offers greater than 99% protection from
UVA & UVB rays. Meets ANSI/ISEA Z87.1+ -2020.

3020-C: Clear lenses 3020-C/A: Clear anti-fog lenses

3020-IOM: Indoor/outdoor mirror lenses

3020-G: Grey lenses 3020-G/A: Grey anti-fog lenses 3020-P: Polarized lenses

> Packaging: 1 Pair/poly bag, 12 pair/inner box

> Case Pack: 300 Pairs



Eyewear > Safety Glasses



Bradford 3030

Bifocal 1.5, 2.0 & 2.5 safety glasses with scratch resistant lenses and black nylon frame. Features soft orange rubber nose pad & temples for a comfortable fit. Offers greater than 99% protection from UVA & UVB rays. Meets ANSI/ISEA Z87.1+ -2020.

3030-G-1.5: 1.5 Grey bifocal lenses **3030-G-2.0:** 2.0 Grey bifocal lenses **3030-G-2.5:** 2.5 Grey bifocal lenses 1.5 Clear bifocal lenses 3030-C-1.5: **3030-C-2.0:** 2.0 Clear bifocal lenses **3030-C-2.5:** 2.5 Clear bifocal lenses

- > Packaging: 1 Pair/poly bag, 12 pair/inner box
- > Case Pack: 300 Pairs





Eyewear > Safety Glasses



Demolition 3080

Lightweight safety glasses with scratch resistant lenses, and black nylon frame. Features rubber nose piece, temple inserts, and rubberized bayonet temple for secure and comfortable fit. Meets ANSI Z87.1-2020 for High Impact (Z87+) with a greater than 99% protection from UVA & UVB rays.

3080-B-G: Grey lenses 3080-B-C: Clear lenses

3080-B-IOM: Indoor/outdoor mirror lenses 3080-B-C-CORD: Clear lenses with cord 3080-B-IOM-CORD: Indoor/outdoor mirror lenses

with cord

3080-B-G-CORD: Grey lenses with cord

> Packaging: 1 Pair/poly bag, 12 pair/inner box

> Case Pack: 300 Pairs



3080-B-C



3080-B-IOM

3080-B-G-CORD



Eyewear > Safety Glasses



Iron-Fog 3085



Premium anti-fog dielectric safety glasses with curved scratch resistant lenses, TPE infused temple, and nylon frame. Made with no metal parts Offers greater than 99% protection from UVA & UVB rays. Meets ANSI/ISEA Z87.1+ -2020.

3085-BL-C/A: Blue frame,

clear anti-fog lens 3085-B-G/A: Black frame,

grey anti-fog lens **3085-P-C/A:** Pink frame,

clear anti-fog lens

3085-SB-C/A: Sky blue frame, clear anti-fog lens

3085-B-C/A: Black frame,

clear anti-fog lens **3085-O-BL/A:** Orange frame,

blue anti-fog lens **3085-R-C/A:** Red frame,

clear anti-fog lens

> Packaging: 1 Pair/box, 24 pair/inner box

> Case Pack: 144 Pairs



3085-R-C/A

Eyewear > Safety Glasses

Jackman 3475

Lightweight safety glasses with one-piece scratch resistant lenses, bayonet temples, and black nylon frame. Offers greater than 99% protection from UVA & UVB rays. Meets ANSI/ISEA Z87.1+ -2020.

3475-G: Grey lens 3475-C: Clear lens 3475-IOM: Indoor/outdoor mirror lens

> Packaging: 1 Pair/poly bag, 12 pair/inner box

> Case Pack: 300 Pairs











Defogger 3095

Premium anti-fog safety glasses with curved scratch resistant lenses and black & blue nylon frame. Soft rubber-tipped temples provide a non-slip fit. Offers full side protection and greater than 99% protection from UVA & UVB rays. Meets ANSI/ISEA Z87.1+ -2020.

3095-B/BT-C/A: Clear lenses **3095-B/BT-G/A:** Grey lenses

> Packaging: 1 Pair/poly bag, 12 pair/inner box

> Case Pack: 144 Pairs

Eyewear > Safety Glasses

Iron-Fog-MD 3097



3097-B-C/A-MD: Black frame, clear lenses 3097-BL-BL/A-MD: Blue frame,

Blue lenses 3097-BL-C/A-MD: Blue frame, clear lenses

> Packaging: 1 Pair/poly bag, 12 pair/inner box

> Case Pack: 144 Pairs















Eyewear > Safety Glasses

3100-B-SBB

Eyewear > Safety Glasses



3100-B-C

3100-B-BM

3100-B-IB



3100-B-A 3100-B-C/A

3100-B-GM



3100-B-O



3100-B-G 3100-B-G/A

Sebago 3100

Safety glasses with one-piece scratch resistant lens and black nylon frame with adjustable ratchet temples. Lens offers greater peripheral vision. Offers greater than 99% protection from UVA & UVB rays. Meets ANSI/ISEA Z87.1+ -2020.

> Packaging: 1 Pair/poly bag

> Case Pack: 25 Dozen

3100-B-SBB: Sun block bronze lens 3100-B-C: Clear lens 3100-B-C/A: Clear anti-fog lens 3100-B-A: Amber lens 3100-B-GM: Gold mirror lens 3100-B-BM: Blue mirror lens

Orange lens

3100-B-O:

3100-B-G: Grey lens 3100-B-G/A: Grey anti-fog lens 3100-B-IB: Infinity blue lens **3100-B-IOM:** Indoor/outdoor mirror lens 3100-B-SM: Silver mirror lens







3100-B-IOM 3100-B-SM

ironwear.com

Eyewear > Safety Glasses

Eyewear > Safety Glasses









Porter 3300

Safety glasses with curved scratch resistant lenses and black nylon frame with adjustable temples. Lenses offers greater peripheral vision. Soft rubber nose pad and temple inserts provide a snug & comfortable fit. Offers greater than 99% protection from UVA & UVB rays. Meets ANSI/ISEA Z87.1+ -2020.

> Packaging: 1 Pair/poly bag 12 pair/inner box

> Case Pack: 300 Pairs

3300-B-IB: Infinity blue lenses
3300-B-C: Clear lenses
3300-B-C/A: Clear anti-fog lenses
3300-B-IOM: Indoor/outdoor

mirror lenses **3300-B-G:** Grey lenses

3300-B-G/A: Grey anti-fog lenses3300-B-SBB: Sun block bronze lenses3300-B-A: Amber lenses

3300-B-A: Amber lenses3300-B-O: Orange lenses3300-B-SM: Silver mirror lenses



Eyewear > Safety Glasses

Eyewear > Safety Glasses









3500-G 3500-G/A

3500-IB

3500NP-C

3500-C 3500-C/A







3500-SM

Derby 3500

Safety glasses with one-piece wraparound scratch resistant lens, nylon frame, molded soft gel nose pad, soft rubber temple pads for secure fit & comfort. Offers greater than 99% protection from UVA & UVB rays. Meets ANSI/ISEA Z87.1+ -2020.

> Packaging: 1 Pair/poly bag 12 pair/inner box

> Case Pack: 300 Pairs

3500-A: Amber temples & lens 3500-IOM: Indoor/outdoor mirror temples & lens 3500-G: Grey temples & lens 3500-G/A: Grey temples, grey anti-fog lens 3500-C: Clear temples & lens 3500-C/A: Clear temples, clear anti-fog lens 3500-BM: Black temples, blue mirror lens 3500-IB: Black temples, infinity blue lens

> Black temples. silver mirror lens

3500-SM:

3500NP-IOM: Indoor/outdoor mirror temples & lens, gel nose pad 3500NP-C: Clear temples & lens, gel nose pad 3500NP-G: Grey temples & lens, gel nose pad



(NP = Nose Pad)



3500-BM

3500NP-IOM



3500NP-G

Eyewear > Safety Glasses

Eyewear > Safety Glasses







3550-A-A

3550-C-C 3550-C-C/A

3550-G-G 3550-G-G/A











3550-G-SM

3550-G-GM

3550-G-IOM

Harmony 3550

Safety glasses with one-piece curved scratch resistant lens, wide temples, and nylon frame. Wide temples offer side protection equal to eyewear with side shields. Clear & grey styles available with curved or rubber tipped bayonet temples. Offers greater peripheral vision and greater than 99% protection from UVA & UVB rays. Meets ANSI/ISEA Z87.1+ -2020.

> Packaging: 1 Pair/poly bag 12 pair/inner box

> Case Pack: 300 Pairs

3550-G-BM: Grey temples, blue mirror lens

3550-A-A: Amber temples & lens 3550-C-C: Clear temples & lens **3550-C-C/A:** Clear temples,

clear anti-fog lens 3550-G-G: Grey temples & lens **3550-G-G/A:** Grey temples, grey anti-fog lens 3550-G-SM:

Grey temples, silver mirror lens 3550-G-GM: Grey temples, gold mirror lens

3550-G-IOM:

Grey temples, indoor

outdoor mirror lens

3550-B-IB: Blue temples & lens

3550-C/BTR-C: Clear bayonet temples, rubber tips, clear lens

3550-G/BTR-G: Grey bayonet temples, rubber tips, grey lens







3550-B-IB

3550-C/BTR-C

3550-G/BTR-G

Eyewear > Over the Glasses

Caribou 3600

OTG Safety glasses with one-piece scratch resistant lens, wraparound lens, and nylon frame with adjustable temples. Designed to fit over prescription glasses. Offers greater peripheral vision and greater than 99% protection from UVA & UVB rays. Meets ANSI/ISEA Z87.1+ -2020.

3600-U-C: Red/white/blue frame,

clear lens

3600-U-G: Red/white/blue frame,

grey lens

3600-B-C: Black frame, clear lens

3600-B-G: Black frame,

grey lens

3600-BL-C: Blue frame, clear lens

> Packaging: 1 Pair/poly bag,

12 pair/inner box

> Case Pack: 300 Pairs



Eyewear > Over the Glasses

Addison 3800

OTG Safety glasses with one-piece scratch resistant lens, side ventilation, and nylon wraparound lens & frame. Designed to fit over prescription glasses. Offers greater peripheral vision and greater than 99% protection from UVA & UVB rays. Meets ANSI/ISEA Z87.1+ -2020.

3800-C: Clear lens & frame 3800-Y: Yellow lens & frame 3800-G: Grey lens & frame 3800-GR: Green lens & frame

> Packaging: 1 Pair/poly bag, 12 pair/inner box

> Case Pack: 300 Pairs





3700-B-G

Casco 3700

OTG Safety glasses with one-piece scratch resistant lens, wraparound lens, and black nylon frame with adjustable ratchet temples. Designed to fit over prescription glasses. Offers greater peripheral vision and greater than 99% protection from UVA & UVB rays. Meets ANSI/ISEA Z87.1+ -2020.

3700-B-C: Clear lens 3700-B-G: Grey lens

> Packaging: 1 Pair/poly bag, 12 pair/inner box

> Case Pack: 300 Pairs



Premium anti-fog OTG safety glasses with clear curved scratch resistant lenses and clear nylon frame. Offers full side protection. Made to fit over most RX glasses. Meets ANSI/ISEA Z87.1+ -2020.

> Packaging: 1 Pair/poly bag, 10 pair/inner box

> Case Pack: 120 Pairs



3800-GR



Eyewear > Safety Goggles

Rockport 3900

Safety google with clear lens, soft clear perforated PVC frame for ventilation, and elastic head strap. Fits over most safety and prescription glasses. Offers protection against chemical splash & impact.

- > Packaging: 1 Each/poly bag, 12 each/inner box
- > Case Pack: 144 Each



3900

Eyewear > Goggles: Standard Anti-Fog

Union 3925-A

Anti-fog goggle with clear lens, indirect ventilation, soft clear PVC frame, and elastic head strap. Fits over most safety and prescription glasses. Offers protection against chemical splash & impact.

- > Packaging: 1 Each/poly bag, 12 each/inner box
- > Case Pack: 144 Each



3925-A

Union 3924

Safety google with clear lens, soft clear PVC frame, and elastic head strap. Fits over most safety and prescription glasses. Offers protection against chemical splash & impact. Available with indirect ventilation.

> Case Pack: 100 Each



3924

Union 3925-P/A

Anti-fog goggle with clear lens, plugged ventilation, soft clear PVC frame, and elastic head strap. Fits over most safety and prescription glasses. Offers protection against chemical splash & impact.

- > Packaging: 1 Each/poly bag, 12 each/inner box
- > Case Pack: 144 Each



3925-P/A

Union 3925

Safety goggle with clear lens, indirect ventilation, soft clear PVC frame, and elastic head strap. Fits over most safety and prescription glasses. Offers protection against chemical splash & impact.

- > Packaging: 1 Each/poly bag, 12 each/inner box
- > Case Pack: 144 Each



Anti-fog dielectric goggle with clear lens,

Belfast 3926-C/A

indirect ventilation, soft clear PVC frame, and elastic head strap. Offers protection against chemical splash & impact and is made with no metal parts. Fits over most safety & prescription glasses. Meets ANSÍ/ISEA Z87.1+ -2020.

- > Packaging: 1 Each/poly bag, 12 each/inner box
- > Case Pack: 120 Each



3926-C/A

3925

Eyewear > Goggles & Replacement Lenses

Hope 3930

Goggle with detachable scratch resistant polycarbonate anti-fog lens and nylon head strap. Offers protection against chemical splash & impact. Meets ANSI/ISEA Z87.1+ -2020.

3930-C: Clear lens 3930-G: Grey lens 3930-A: Amber lens 3930-IOM: Indoor/outdoor mirror lens

> Packaging: 1 Each/poly bag, 12 each/inner box

> Case Pack: 72 Each









Hope Replacement Lens 3931

Scratch resistant polycarbonate anti-fog replacement lens for Hope 3930. Meets ANSI/ISEA Z87.1+ -2020.

3931-C: Clear lens 3931-G: Grey lens 3931-A: Amber lens 3931-IOM: Indoor/outdoor mirror lens

> Packaging: 1 Each/poly bag, 12 each/inner box

> Case Pack: 72 Each



Eyewear > Goggles: Premium Anti-Fog

Defogger-G 3928-C-C/A



Premium anti-fog goggle with clear lens, non-vented soft clear PVC frame, and elastic head strap. Offers protection against chemical splash & impact. Fits over most safety & prescription glasses. Meets ANSI/ISÉA Z87.1+ -2020.

> Packaging: 1 Each/poly bag, 12 each/inner box

> Case Pack: 48 Each



3928-C-C/A



Defogger-G2 3929-B-C/A



Premium anti-fog goggle with clear lens, indirect ventilation, soft black PVC frame, and elastic head strap. Offers protection against chemical splash & impact. Fits over most safety and prescription glasses. Meets ANSI/ISEA Z87.1+ -2020.

> Packaging: 1 Each/poly bag, 12 each/inner box

> Case Pack: 48 Each



3929-B-C/A





ironwear.com support@ironwear.com

Eyewear > Goggles & Visor Set

Westbrook 3935



Premium anti-fog goggle with clear lens, detachable polycarbonate shield, indirect ventilation, and adjustable nylon strap. Offers full face protection against chemical splash & impact. Google & shield set meets ANSI/ISEA Z87.1+ -2020.

3935-GG-C: Smoke grey frame **3935-CC-C:** Clear frame

> Packaging: 1 Set/poly bag, 8 sets/inner box

> Case Pack: 64 Sets



3935-GG-C









Eyewear > Accessories

Style 3988 & 3990

Lens cleaning disposable towelettes. Individually wrapped and silicone free.

3988: Anti-fog towelettes 3990: Cleaning towelettes

> Packaging: 100 Pieces/inner box

> Case Pack: 1,000 Pieces









3990

Style 3995

Metal detectable goggle retainer. Holds goggle straps in place. Compatible with most goggles and 3961 hard hats. Allows wearer to move goggles over eyes and on top of hard hat when not in use. Can be used with most goggles. Helmet & goggles not included.

> Packaging: 1 Pair/poly bag, 25/inner box

> Case Pack: 200 Pairs







3995

ironwear.com

Fall Protection

Ironwear Fall Protection is designed and manufactured to keep you safe when working in high risk and elevated areas.

From servicing, refurbishing and product assistance, we offer in-house solutions to make sure your Fall Protection stays at its peak.

Types

- > Harnesses
- > Anchor Straps
- > Cross Arm Straps
- > Lanyards
- > Self-Retracting Lifelines
- > Rope Line
- > Rope Grab
- > Horizontal Lifelines
- > Kits

Accessories

- > Anchor Brackets
- > Anchor Posts
- > Black Bag
- > Carabiners
- > Harness Back Pads
- > SRL Connectors
- > Steel Tower Hooks
- > Tag Lines
- > Trauma Straps

Icon Definitions

Class A

Class A SRLs must have a maximum arrest distance of 24 inches, must not exceed a peak arresting force of 1,800 pounds, and they are limited to an average arresting force of no more than 1,350 pounds.

Class B

Class B SRLs must have a maximum arrest distance of 54 inches, must not exceed a peak arresting force of 1,800 pounds, and they are limited to an average arresting force of no more than 900 pounds.

LE

A leading edge SRL is a self retracting lifeline manufactured to meet the ANSI Z359.14-2014 standard. This standard calls for specific accommodations for leading edge applications and foot-level fall events.

Fall Protection > Harnesses & Accessories

Style 2100

Full body harness with 310lb capacity. Includes 3 D-Rings, five adjustments on chest, shoulders, and leg straps. Meets ANSI Z359.11-2014.

- > Size: One size fits all
- > Case Pack: 15 Each

Style 2125

Full body harness with 310lb capacity. Includes 3 D-Rings, five adjustments on chest, shoulders, and leg straps with grommet adjustments. Meets ANSI Z359.11-2014.

- > Size: SM/MD, LG/XL, 2XL/3XL
- > Case Pack: 12 Each

Style 2150

Full body harness with 310lb capacity. Includes five adjustments on chest, shoulders, and leg strap with grommet adjustments. Also offers movable shoulder pads and a grommet adjustable back support belt. Meets ANSI Z359.11-2014.

- > Size: SM/MD, LG/XL, 2XL/3XL
- > Case Pack: 4 Each







Style 2365

This 18" D-Ring extender has a 130-310lb capacity and a minimum breaking strength of 5,000lb. It quickly adds length to the back of harnesses with its steel snap hook.

> Case Pack: 30 Each



2365

Style 2520

Suspension trauma strap.

> Case Pack: 50 Sets



Style 2540

Back pad for harness. Attaches to back of harness with hook & loop and snaps for easy ON/OFF assembly.

- > Size: One size fits all
- > Case Pack: 50 Each



Fall Protection > Harness

Style 2160

Full body harness with 310lb ANSI capacity and 420lb OSHA capacity. Includes five adjustments on chest, shoulders, and leg strap with grommet adjustments. Has 3 ultra light weight aluminum D-Rings, grommet adjustments on leg strap, and grommet adjustable belt. Integrated sewn-in back support system and dual tool lanyard connection points for easy access. Meets ANSI Z359.11-2014.

- > Size: SM, SM/MD, LG/XL, 2XL/3XL
- > Case Pack: 4 Each







(Back Pad/D-Ring/SRL Connector)



(Ultra Lightweight Aluminum Quick Release Chest Connector)



(Dual Tool Lanyard Connection Points)



(Integrated Sewn-In Back Support System)



ironwear.com

Fall Protection > Anchor & Arm Straps

Style 2704, 2706, 2708, 2710, 2712, & 2720

Anchor strap with full sheath. Made out of polyester and a capacity range of 130-310lb (including all equipment), or up to 420lb if used in combination with equipment explicitly certified for such use. Meets ANSI Z359.1-2007.

2704: 4', Loop both ends 2704-DR: 4', D-Ring one end,

loop other end

2706: 6', Loop both ends 6', D-Ring one end, 2706-DR: loop other end

2708: 8', Loop both ends 2708-DR: 8', D-Ring one end,

loop other end

2710: 10', Loop both ends 2710-DR: 10', D-Ring one end, loop other end

> Case Pack: 40 Each

2712: 12', Loop both ends 12', D-Ring one end, 2712-DR: loop other end

2720: 20', Loop both ends 20', D-Ring one end, 2720-DR:

loop other end

> Case Pack: 20 Each





Style 2724, 2726, & 2730

Type T cross arm strap with a capacity range of 130-310lb (including all equipment), or up to 420lb if used in combination with equipment explicitly certified for such use. Min. breaking strength: 5.0 MBS. Meets ANSI Z359.1-2007 & ANSI A10.32-2012.

2724: 2726: 6′ 2730: 10'

> Case Pack: 20 Each



Fall Protection > Lanyards

Style 2600

Tool lanyard with a capacity of 15lb & manual screw-lock carabiner. Meets ANSI/ISEA 121-2018.

> Case Pack: 50 Each



Style 2601

Tool lanyard with a capacity of 15lb with automatic self-locking carabiner. Meets ANSI/ISEA 121-2018.

> Case Pack: 50 Each



Hard hat lanyard with a capacity of 2lb.

Made from PVC & polyester.

> Case Pack: 100 Each

Style 2625



Style 2310

6' Single leg external absorbing lanyard with a 310lb capacity with a one snap hook on both ends. Gate strength 3600lb. Meets ANSI Z359.13-2013.

> Case Pack: 15 Each



Style 2320

4.5' - 6' Stretchable single leg energy absorbing lanyard with a 310lb capacity with one snap hook on each end. Meets ANSI Z359.13-2013.

> Case Pack: 15 Each



Style 2360

24" Rebar chain assembly lanyard with 2 snap hooks and 1 rebar hook. Meets ANSI Z359.1-2007, A10.32-2014.

> Case Pack: 10 Each



ironwear.com support@ironwear.com

2340 2341

Fall Protection > Lanyards

Style 2340 & 2341

4.5' - 6' Stretchable double leg energy absorbing lanyard with a 310lb capacity. One rebar hook on each end and a snap hook in the middle. Meets ANSI Z359.13-2013.


2340: 4.5′ - 6′ **2341:** 4′

> Case Pack: 10 Each

Style 2350-SSH

6' Double leg external absorbing lanyard with a capacity of 310lb and a gate strength of 3,600lb. One steel snap hook on each end with adjustable D-Rings. Meets ANSI Z359.13-2013.

> Case Pack: 6 Each



Style 2350-SRH

6' Double leg external absorbing lanyard with a capacity of 310lb and a gate strength of 3,600lb. One steel snap hook and one steel rebar hook on each end with adjustable D-Rings. Meets ANSI Z359.13-2013.

> Case Pack: 6 Each



Fall Protection > Hardware & Taglines

Style 2805

Alloy steel dual SRL connector with a minimum breakage strength 5,000lb. Meets ANSI Z359.12-2009.

> Case Pack: 100 Each



2805

Style 2810

Alloy steel single SRL connector with a minimum breakage strength 5 000lb

> Case Pack: 100 Each



2810

Style 2815

Alloy steel carabiner with a gate strength of 3,600lb & a minimum breakage strength 9,000lb. Meets ANSI Z359.12-2009.

> Case Pack: 100 Each



Style 2820

Alloy steel tower hook with a gate strength 3,600lb & a minimum breakage strength 9,000lb. Gate opening is 1.97° and meets ANSI Z359.12-2009.

> Case Pack: 20 Each



Style 2845, 2846, 2847, & 2848

Black tag line.

2845: 20' Long 2846: 30' Long 2847: 50' Long 2848: 100' Long

> Case Pack: 100 Each



ironwear

Fall Protection > SRL

Style 2406 Class A

6' Webbing self-retracting lifeline with a 360° fully rotating hook. Gate strength of 5,000lb for 2406-SSH and all others are 3,600lb. Meets ANSI Z359.11-2014. 2815 Carabiner Included.

2406-SSH:

2406-ASLH:

Steel snap hook, Product weight 3.24lb

2406-ARH:

Aluminum rebar hook, Product weight 3.66lb

Aluminum self-locking hook, Product weight 2.87lb

2406-SRH: Steel rebar hook, Product weight 4.01lb

> Case Pack: 10 Each

> Case Pack: 4 Each

Fall Protection > SRL

Style 2406D Class A

6' Webbing dual self-retracting lifeline with a 360° fully rotating hook. Gate strength of 5,000lb for 2406D-SSH and all others are 3,600lb. Meets ANSI Z359.11-2014. 2805 Dual SRL connector included.

2406D-SSH: Steel snap hook, Product weight 6.98lb

> Case Pack: 4 Each

2406D-SRH: Steel rebar hook,

Product weight 8.53lb 2406D-ARH: Aluminum rebar hook,

Product weight 7.82lb

> Case Pack: 2 Each















2406D-SSH

2406D-SRH

2406D-ARH

Fall Protection > SRL

Style 2408-SSH-LE

Class B/LE

8' Long leading edge self-retracting lifeline with galvanized steel cable. 360° fully rotating steel snap hook with a gate strength of 3,600lb. Connector included. Meets ANSI Z359.14-2014. Product weight 4.21lb.

> Case Pack: 1 Each



Style 2408D-SSH-LE

Class B/LE///

with galvanized steel cable. 360° fully rotating steel weight 7.47lb.

> Case Pack: 1 Each

8' Long leading edge dual self-retracting lifeline snap hook with a gate strength of 3,600lb. Connector included. Meets ANSI Z359.14-2014. Product

2408D-SSH-LE

Fall Protection > SRL

Style 2408-ARH-LE

Class B/LE

8' Long leading edge selfretracting lifeline with galvanized steel cable. Aluminum rebar hook with a gate strength of 3,600lb. Connector included. Meets ANSI Z359.14-2014. Product weight 4.53lb.

> Case Pack: 1 Each

Style 2408D-ARH-LE

Class B/LE

8' Long leading edge dual selfretracting lifeline with galvanized steel cable. Aluminum rebar hook with a gate strength of 3,600lb. Connector included. Meets ANSI Z359.14-2014. Product weight 8.13lb.

> Case Pack: 1 Each

Style 2408D-SRH-LE

Class B/LE

8' Long leading edge dual self-retracting lifeline with galvanized steel cable. Steel rebar hook with a gate strength of 3,600lb. Connector included. Meets ANSI Z359.14-2014. Product weight 8.63lb.

> Case Pack: 1 Each



2408-ARH-LE





2408D-SRH-LE

ironwear.com support@ironwear.com

Fall Protection > SRL

Style 2409-STBH Class A

9' Self-retracting lifeline with a steel tie back hook. Gate strength 3,600lb. Meets ANSI Z359.14-2014. 2815 Carabiner included. Product weight 4.21lb.

> Case Pack: 10 Each



Style 2409D-STBH Class A

9' Dual self-retracting lifeline with a steel tie back hook. Gate strength 3,600lb. Meets ANSI Z359.14-2014. 2805 Dual SRL connector included. Product weight 8.42lb.

> Case Pack: 4 Each



Fall Protection > SRL

Style 2410-SRH Class B

10' Galvanized steel cable self-retracting lifeline with a 360° fully rotating steel rebar hook. Gate strength 5,000lb. Meets ANSI Z359.14-2014. 2815 Carabiner included. Product weight 11.025lb.

> Case Pack: 4 Each

Style 2411-SSH Class B

11' Webbing self-retracting lifeline with a 360° fully rotating steel snap hook. Gate strength 5,000lb. Meets ANSI Z359.14-2014. 2815 Carabiner included. Product weight 11.5lb.

> Case Pack: 4 Each

R/

Style 2411-SRH Class B

11' Webbing self-retracting lifeline with a 360° fully rotating steel rebar hook. Gate strength 5,000lb. Meets ANSI Z359.14-2014. 2815 Carabiner included. Product weight 12.125lb.

> Case Pack: 4 Each







Fall Protection > SRL

Style 2420-SSH Class B/

20' Galvanized steel cable self-retracting lifeline with a 360° fully rotating steel snap hook. Gate strength 5,000lb. Meets ANSI Z359.14-2014. 2815 Carabiner & tag line are included. are included.

> Case Pack: 4 Each





2420-SSH

Style 2430-SSH Class B

30' Galvanized steel cable self-retracting lifeline with a 360° fully rotating steel snap hook. Gate strength 5,000lb. Meets ANSI Z359.14-2014. 2815 Carabiner & tag line

> Case Pack: 2 Each

Style 2430A-SSH Class A

30' Galvanized steel cable selfretracting lifeline with a 360° fully rotating steel snap hook. Gate strength 5,000lb. Meets ANSI Z359.14-2014. Carabiner & tag line are included.

> Case Pack: 1 Each





Fall Protection > SRL

Style 2420-SSH-LE Class B/LE

20' Galvanized steel cable self-retracting lifeline with leading edge & a 360° fully rotating steel snap hook. Gate strength 5,000lb. Meets ANŠI Z359.14-2014. Carabiner & tag line are included.

> Case Pack: 1 Each




Self-Retracting LIFELINE

30' Galvanized steel cable self-retracting lifeline with leading edge & a 360° fully rotating steel snap hook. Gate strength 5,000lb. Meets ANŠI Z359.14-2014. Carabiner & tag line

> Case Pack: 1 Each

are included.



Style 2430-SSH-LE / Class B / LE //





2420-SSH-LE

Fall Protection > SRL

Style 2450-SSH

Class B

50' Galvanized steel cable selfretracting lifeline with a 360° fully rotating steel snap hook. Gate strength 5,000lb. Meets ANSI Z359.14-2014. 2815 Carabiner & tag line are included.

> Case Pack: 2 Each



Style 2450A-SSH

Class A

50' Galvanized steel cable selfretracting lifeline with a 360° fully rotating steel snap hook. Gate strength 3,600lb. Meets ANSI Z359.14-2014. Carabiner & tag line are included.

> Case Pack: 1 Each



Style 2450-SSH-LE

Class B / LE

50' Galvanized steel cable self-retracting lifeline with leading edge and a 360° fully rotating steel snap hook. Gate strength 3,600lb. Meets ANSI Z359.14-2014. Carabiner & tag line are included.

> Case Pack: 1 Each



2450-SSH-LE

Style 2465-SSH-LE

Fall Protection > SRL

Class B/LE

65' Galvanized steel cable self-retracting lifeline with leading edge and a 360° fully rotating steel snap hook. Gate strength 3,600lb. Meets ANSI Z359.14-2014. Carabiner & tag line are included.

> Case Pack: 1 Each



Style 24100-SSH

Class B

100' Galvanized steel cable selfretracting lifeline with a 360° fully rotating steel snap hooks. Gate strength of 5,000lb. Meets ANSI Z359.14-2014. 2815 Carabiner & tag line are included.



24100-SSH

2450A-SSH

2465-SSH-LE



2450-SSH

Fall Protection > Vertical Rope Line & Rope Grab

Style 2979

Premium polyester blend vertical lifeline. Poly blend reduces kinking & hockling. Features plastic thimble & stitched termination at both ends for superior strength. Includes dual plated alloy steel snap hooks for an adequate anchorage connection. Constructed with 5/8" low-stretch 3-strand twisted rope with a capacity range of 130 - 310lb. Gate Strength: 3,600lb min. Static Strength: 5,000lb min. Meets ANSI Z359.1-2007.

2979-50: 50' rope

> Case Pack: 6 Each

2979-100: 100' rope

> Case Pack: 4 Each



Style 2830

Anti-panic rope grab made from alloy steel. Anchorage eye internal diameter of 50mm/1.968". Performance of rope grab depends upon quality of the rope used. Meets ANSI Z359.1-2007.

> Case Pack: 20 Each





Fall Protection > Horizontal Lifelines

Style 2980

2 Person horizontal rope reusable anchorage line system. Tensioner made of aluminum and stainless steel. 2 steel O-Rings helps to easily attach lanyard. Tension indicator creates adequate tension in line with two 2815 carabiners and two each 6' cross arm straps. Whole system packed in a convenient bag. Minimum breaking strength of 5,620lb. Meets ANSI Z354.1-2007.

2980-60: 60' Rope 2980-100: 100' Rope



Style 2985

4 Person horizontal rope reusable anchorage line system. Tensioner made of aluminum and stainless steel. 4 steel O-Rings help to easily attach lanyard. Tension indicator creates adequate tension in line with two 2815 carabiners and two each 6' cross arm straps. Whole system packed in a convenient bag. Minimum breaking strength of 5,620lb. Meets ANSI Z354.1-2007.

2985-60: 60' Rope 2985-100: 100' Rope

> Case Pack: 1 Each



Fall Protection > Horizontal Lifeline, Anchor Post, & Brackets

Style 2975

2 Person horizontal temporary lifeline that is easy to install & transport. Housing made of durable & high strength polymer. Consists of two 60' independent lifeline with an automatic locking retractable lifeline. Allows hands-free movement along platforms and walkways. Can be used as a horizontal lifeline which locks instantly with minimum fall distance. Conforms to ANSI Z359.1-2007. Anchor post (2850) & brackets (2851) sold separately.

> Case Pack: 1 Each



Style 2850

Anchor post to be used with 2975 Horizontal Lifeline. Portable and extremely easy to install on steel I-Beam section. Span lengths are adjustable with the help of intermediates. Features unique tilting design, allowing for unobstructed movement of the user during construction of roofs and metal structure buildings.

> Case Pack: 1 Each

Style 2851

Bracket set designed to fix 2975 horizontal lifeline on an angle beam be used as an extremity anchor or intermediate when a horizontal lifeline is to be installed on an angle structure.

> Case Pack: 3 Each













Fall Protection > Fall Protection Kits & Bag

Style 2880

Roofer's Kit includes reusable roof anchor, 5 point full body harness with D-Ring, bucket, 50' poly steel rope made of 5/8" diameter with steel snap hook and stop knot at the end. Rope grab with shock pack. Meets ANSI Z359.11-2014.

> Case Pack: 1 Bucket









2880

Style 2889

Bucket kit includes full body harness (2100 or 2125) & lanyard (2310, 2320, or 2340).

> Case Pack: 1 Bucket



> Case Pack: 25 Each

protection gear.

Black bag to hold your fall



0-P0510-BG

Rainwear

Ironwear Rainwear is designed to weather harsh & challenging environments.

Whether harsh natural climates or chemical and hot water splashes, Ironwear has you covered. Made from a select range of materials, our rainwear is crafted to meet both basic and high performance applications.

Types

- > Sets
- > Suits & Accessories
- > Jackets
- > Coats
- > Separates
- > Coveralls

Materials

- > Polyester/PU
- > Polyurethane/Nylon> Polyurethane/Polyester
- > PVC/Nylon
- > PVC/Nylon Mesh
- > PVC/Polyester> PVC/Polyester Fabric

Features

- > Adjustable
- > Attached Hood
- > Badge ID Tab
- > Collar Snaps
- > Detachable Hood
- > Elastic Waist
- > Flame Retardant
- > Reflective Tape
- > Tuck Away Hood

Flame Retardant



Flame retardant products have been evaluated under test method D6413 and will self-extinguish when caught on fire. Our flame

retardant garments ensure after flame is less than 2.0 seconds average and char length is less than 6" on average. Flame retardant products should never be used where an arc flash or flash fire is present.

Rainwear > Chemical Resistant Rainwear



Style 9030

Offering the best protection against many chemicals & acids. 100% waterproof flame retardant self-extinguishing. A tough .45mm green one-piece coverall that bonds nylon mesh between 2 layers of PVC making it more impervious to rips and tears. Zipper front & double storm flap, attached hood with drawstring closure, adjustable wrist & leg openings.

- > Size: SM-7XL
- > Case Pack: 10 Sets




Style 9031

Offering the best protection against many chemicals & acids. 100% waterproof flame retardant self-extinguishing. A tough .45mm green two-piece suit that bonds nylon mesh between 2 layers of PVC making it more impervious to rips and tears.

Zipper front & double storm flap, attached hood with drawstring closure, adjustable wrist & leg openings.

Elastic cuff allows a secure fit for the best protection against many chemicals & acids.

- > Size: SM-7XL
- > Case Pack: 10 Sets











Rainwear > PVC/Polyester Sets

Style 9200-Y

Yellow three-piece, .35mm PVC/Polyester fabric, 32" long jacket with corduroy collar, detachable hood & bib overall, full cut to fit over work clothes. 100% waterproof, reinforced stress points, storm flap and concealed snaps, vented cape yoke back & underarm vents for heat distribution. Adjustable wrist & leg openings. Non-conductive materials.

- > Size: SM-7XL
- > Case Pack: 12 Sets

Style 9200-ST

Three-piece, .35mm PVC/Polyester hi-vis fabric, 32" long jacket with corduroy collar, reflective silver tape, detachable hood & bib overall, full cut to fit over work clothes. 100% waterproof, reinforced stress points, storm flap and concealed snaps, vented cape yoke back & underarm vents for heat distribution. Adjustable wrist & leg openings. Non-conductive materials.

9200-O-ST: Orange **9200-LG-ST:** Lime

> Size: SM-6XL









9200-LG-ST

Rainwear > PVC/Polyester Sets & Hydroblast Suits

Style 9202

Yellow set of bib overall & jacket with detachable hood. .35mm PVC/Polyester fabric, 32" long jacket, PVC collar, and no vents. Full cut to fit over work clothes, offers excellent resistant to abrasion. 100% waterproof, reinforced stress points, non-conductive, adjustable wrist & leg openings.


9202-Y-NF: Bib overall without fly

9202-YFR: Bib overall with fly, 1

flame retardant, (FR) self-extinguishing

> Size: SM-7XL

> Case Pack: 10 Sets







(No Fly)

Style 9207 & 9209

32" long yellow hydroblast suit with an attached hood, bib overall and PVC shroud with hook & loop and snap closures, attached hood with drawstring and hook & loop closures on front, wrists & neck, full elastic suspenders, reinforced crotch for extra support & durability. 3 piece, .35mm PVC over polyester material suit with no fly.

For applications where splash protection & durability are a must, such as environmental clean up & hydroblast/power washing.


9207-Y: 3 piece suit 9207-YFR: 3 piece suit,

flame retardant,

self-extinguishing 9209-Y: Premium 3 piece suit

> Size: SM-7XL

> Case Pack: 10 Sets





Rainwear > Hydroblast Suit Accessories



Style 4995

Glove ring (Page 30).

> Case Pack: 2 Dozen



Style 4000

PVC gloves (Page 17).

- > Size: XS-3XL
- > Case Pack: 10 Dozen



Style 3961

Hard hat (Page 62).

> Case Pack 20 Each



Style 3944

Black aluminum safety visor bracket (Page 66).





Style 3550

Harmony safety glasses (Page 81).



> Case Pack: 300 Pairs

Style 3941

Clear safety visor with hook & loop (Page 64).





Style 9280

Rubber metatarsal boot (Page 133).

- > Size: XS-3XL
- > Case Pack: 6 Pairs





ironwear.com

Rainwear > PVC/Polyester Jackets & Coats

Style 9210

32" yellow jacket with detachable hood, corduroy collar, 2 front pockets with snap flap, take up snaps at wrist. Made of .35mm PVC/Polyester.

- > Size: SM-5XL
- > Case Pack: 12 Sets



Style 9220 & 9223

Yellow 49" coat with detachable hood, .35mm PVC over polyester fabric, 100% waterproof, nonconductive, 2 front pockets.


9220-Y: Corduroy collar

9223-Y: PVC collar **9223-YFR:** PVC collar,

flame retardant, self-extinguishing, meets ASTM D6413

> Size: SM-5XL

> Case Pack: 12 Sets



Style 9220-ST

49" coat with detachable hood, silver reflective tape, .35mm PVC over hi-vis polyester fabric, corduroy collar, 100% waterproof, nonconductive, 2 front pockets.

9220-LG-ST: Lime **9220-O-ST:** Orange

> Size: SM-5XL

> Case Pack: 12 Sets



Rainwear > PVC/Polyester Coats

Style 9221

60" coat, corduroy collar, detachable hood, badge ID tab, cape vented back. Made of .35mm PVC/Polyester.

9221-Y: Yellow **9221-B:** Black

9221-YFR: Yellow, flame retardant,

self-extinguishing, meets ASTM D6413

9221-BFR: Black, flame retardant,

self-extinguishing, meets ASTM D6413

> Size: SM-5XL

> Case Pack: 12 Sets






49" coat with detachable hood, .35mm PVC/Polyester fabric, badge tab for ID badge, full cut to fit over work clothes, 100% waterproof, non-conductive, slash pockets.

9222-Y: Yellow **9222-B:** Black

> Size: SM-5XL

> Case Pack: 12 Sets









Rainwear > PVC/Polyester Separates

Style 9225

Yellow bib overalls, .35mm PVC over polyester fabric, snap fly, adjustable waistline & suspenders.

9225: Yellow 9225-YFR: Yellow,

flame retardant

> Size: SM-5XL






Style 9226

Yellow waist pants, .35mm PVC over polyester fabric, elastic waistband, adjustable leg openings, snap fly.

- > Size: SM-5XL
- > Case Pack: 12 Sets





9226

9225 9225-YFR

Style 9430, 9440, & 9441

Polyurethane/Nylon fabric bib overalls.

Yellow, fly front 9430: 9440: Yellow, no fly front Green, no fly front 9441:

> Size: SM-5XL > Case Pack: 12 Sets





Rainwear > Polyurethane/Nylon Separates

Style 9400

Yellow Polyurethane/Nylon fabric jacket. Metal snap front closure.

- > Size: SM-5XL
- > Case Pack: 12 Sets





Style 9450 & 9451

Attachable Polyurethane/Nylon fabric hood.



- > Size: One size fits all
- > Case Pack: 24 Each





9451

Style 9410 & 9411

Polyurethane/Nylon fabric jacket with collar snaps. Metal snap front & collar closure. Optional hood. Hood sold separately. See 9450 & 9451.

9410: Yellow 9411: Green

- > Size: SM-5XL
- > Case Pack: 12 Sets







9411

Style 9420 & 9421

Polyurethane/Nylon fabric jacket with attached hood. Metal snap front closure.

9420: Yellow 9421: Green

- > Size: SM-5XL
- > Case Pack: 12 Sets







Rainwear > Polyester/PU Suits

Style 9500-L


Hi-vis lime polyester/PU Jacket with tuck away hood & bib overalls. 3 pockets on jacket, 2" silver reflective tape, take up hook & loop on sleeves, 2 radio clip holders, reinforced tape seams. ANSI 107-2015, Class 3.

9500-L:

9500FR-L: Lime, flame retardant 🔑










Hi-vis orange polyester/PU Jacket with tuck away hood & bib overalls. 3 pockets on jacket, 2" silver reflective tape, take up hook & loop on sleeves, 2 radio clip holders, reinforced tape seams. ANSI 107-2015, Class 3.

- > Size: SM-5XL
- > Case Pack: 12 Sets

Style 9500-0





(Tuck Away Hood)





9500-L 9500FR-L



(Tuck Away Hood)





Rainwear > Polyester/PU Suits

Style 9508-L


Hi-vis lime polyester/PU Jacket with tuck away hood & waist pants with zipper closure. 3 pockets on jacket, 2" silver reflective tape, take up hook & loop on sleeves, 2 radio clip holders, reinforced tape seams. ANSI 107-2015, Class 3.

9508-L: Lime

9508FR-L: Lime, flame retardant 🕰

> Size: SM-5XL

> Case Pack: 12 Sets





(Tuck Away Hood)






Style 9508-0

Hi-vis orange polyester/PU Jacket with tuck away hood & waist pants with zipper closure. 3 pockets on jacket, 2" silver reflective tape, take up hook & loop on sleeves, 2 radio clip holders, reinforced tape seams. ANSI 107-2015, Class 3.

- > Size: SM-5XL
- > Case Pack: 12 Sets





(Tuck Away Hood)





9508-O



Rainwear > Polyester/PU Suits & Coats

Style 9510-L

Hi-vis lime & black polyester/PU jacket, with tuck away hood, and waist pants with 2" silver reflective tape. ANSI 107-2015, Class 3.

- > Size: SM-5XL
- > Case Pack: 12 Sets









9510-L

Style 9511 & 9520

Hi-vis polyester/PU coat, with tuck away hood, 2 pockets, 2 radio clip holders, 1 badge tab, take up hook & loop on sleeves, reinforced taped seams, and 2" silver reflective tape. ANSI 107-2015, Class 3.

- > Size: SM-5XL
- > Case Pack: 12 Sets

9511-L:

9520FR-L:


9520-O:

9520-L: Lime

Lime, flame retardant (FR)

Lime & black

Orange





(Tuck Away Hood)




Rainwear > Polyester/PU Sanitation Suits & Coverall

Style 9575

Polyester/PU sanitization suit. Includes jacket with detachable hood with snap-on collar and bib overalls, 2" silver reflective tape, reinforced taped seems, elastic wrist closure, and no lining.

9575-L: Lime 9575-G: Green

- > Size: XS-5XL
- > Case Pack: 12 Sets







9575-L

Style 9577-L

Hi-vis lime polyester/PU sanitization coverall with attached hood, zipper closure with storm flap, elastic wrist closure, 2" silver reflective tape, and reinforced seams. ANSI 107-2015, Class 3.

- > Size: SM-5XL
- > Case Pack: 12 Sets





9575-G

Footwear

Ironwear Footwear is designed for all types of environments. From soil to dirt, water or concrete, make sure your step lands without wearing out.

Crafted from specifically chosen materials, you can pick and choose the features you need. Impact protection, slip prevention, comfort, or anti-fatigue and long wear - Ironwear Footwear is the right fit for you.

Types

- > Boots
- > Inserts
- > Shoe Covers
- > Hip Boots
- > Chest Wader

Materials

- > Latex
- > Polyurethane
- > Polypropylene
- > PVC
- > PVC/Nitrile Blend
- > Neoprene
- > Nylon
- > Rubber

Features

- > Chemical Resistant
- > Chevron Sole
- > Composite Toe
- > Iron-Loc Sole
- > Metatarsal
- > Oil & Grease Resistant
- > Over the Shoe
- > Plain Toe
- > Steel Toe & Midsole
- > Waterproof

Footwear > PVC/Nitrile Boots

NitroMAX 9250 & 9251

PVC/Nitrile blend boot, 15" high, one piece construction, 100% waterproof, treaded soles, fits over the sock/foot, compliant to FDA food standards.

- > Size: 4-15
- > Case Pack: 6 Pairs

9250-B: Black, steel toe 9250-BL: Blue, steel toe 9250-Y: Yellow, steel toe

9250-W: White, steel toe 9250-G: Green, steel toe

> Meets ASTM F2413

9251-B: Black, plain toe 9251-G: Green, plain toe



9250-B 9251-B

9251-G



9250-BL



9250-W



Footwear > PVC Boots

Style 9252 & 9253

Black, 100% waterproof, 16" high, one piece construction, fits over the sock/foot, treaded soles for slip resistant comfort.

9252-B: Plain toe

9253-B: Steel toe, ASTM F2413

> Size: 6-14

> Case Pack: 6 Pairs





Style 9254 & 9255

Black, 100% waterproof, 16" high, one piece construction, fits over the sock/foot, treaded soles for slip resistant comfort.

9254-B: Plain toe

9255-B: Steel toe, ASTM F2413

> Size: 6-14

> Case Pack: 6 Pairs



(Sole Pattern)



9254-B 9255-B



ironwear.com

Footwear > PVC Boots

Style 9257-W & 9258-W

White PVC boot, 16" high, one piece construction, fits over the sock/foot, 100% waterproof, treaded soles for slip resistant comfort, Iron-Loc sole.

9257-W: Plain toe

9258-W: Steel toe, ASTM F2413

> Size: 5-14

> Case Pack: 6 Pairs



(Sole Pattern)



9257-W 9258-W

Style 9257-B, 9258-B, & 9259-B

Black PVC boot, 16" high, one piece construction, fits over the sock/foot, 100% waterproof, treaded soles for slip resistant comfort.

9257-B: Plain toe

9258-B: Steel toe, ASTM F2413 **9259-B:** Steel toe, ASTM F2413,

puncture proof with steel plate, midsole

> Size: 5-14

> Case Pack: 6 Pairs



(Sole Pattern)



Footwear > Neoprene Boots

Style 9262, 9263, & 9264

Neoprene boot, features one piece construction, 100% waterproof, treaded soles for slip resistant comfort, triple dipped shells for extra tough watertight protection, fits over the sock/foot. Available in rust.

- > Size: 6-15
- > Case Pack: 6 Pairs

9262-S: 16", Steel toe, chevron sole

9262-M: 16" Steel toe, chevron sole, metatarsal, meets Mt/75 EH

standard of protection

9263-S: 12* Steel toe, chevron sole9264-S: 12* Steel toe, Iron-Loc sole

> Meets ASTM F2413

9262: 16" Plain toe, chevron sole



(Chevron Sole Pattern)

(Iron-Loc Sole Pattern)











9264-S

Footwear > Neoprene & Rubber Boots

NeoMAX 9285

Neoprene boot, 15" high, steel toe cap, soft and pliable for less leg fatigue, 100% waterproof, removable insoles, fits over the sock/foot. Chevron soles provide excellent traction to prevent slips & falls on wet and slick surfaces, reducing risk of worker injury. Ideal for slaughterhouses, meat processing, petrochemical plants, refineries, dairy & food processing, and fishing industry. Meets ASTM F2413.

- > Size: 4-15
- > Case Pack: 6 Pairs

Style 9280

Metatarsal rubber boot, 17" high, one-piece construction, 100% waterproof, treaded sole, steel midsole & toe cap, fits over the sock/ foot. Available in black. Meets ASTM F2413.

- > Size: 6-15
- > Case Pack: 6 Pairs

Style 9281

Rubber boot, 17" high, 100% waterproof, treaded sole, steel midsole & toe cap, fits over the sock/foot. Available in black. Meets ASTM F2413.

- > Size: 6-15
- > Case Pack: 6 Pairs







(Sole Pattern)

9280


Footwear > Polyurethane Boots

IronMAX 9295

Polyurethane boot for food processing, agriculture, and general industries. 15" high, composite toe cap, PU foamed material consisting of millions of tiny air bubbles help to keep your feet warm in the winter & comfortable in the summer. Remains light & flexible for a comfortable fit at -20 °C/ -4 °F. 100% waterproof, deep treaded soles for stability in wet areas. Premium insole allows for more comfort & less fatigue. Meets ASTM F2413.

9295-W: White upper, blue sole 9295-G: Green upper, grey sole 9295-Y: Yellow upper, black sole 9295-B: Black upper, black sole

- > Size: 5-15
- > Case Pack: 6 Pairs



(Removable Insole With Premium Ergonomic Cushion)







9295-G



9295-Y



9295-B

ironwear.com

Footwear > Insert Soles, Shoe Covers, Latex Boots, & Hip Boots

Style 6205

Comfort insert soles with puncture proof fabric. Goes with boots & shoes. Meets ASTM F2412.

- > Size: 4-14
- > Case Pack: 25 Pairs

Style 5151

Style 9267

Meets ASTM F2413.

> Case Pack: 6 Pairs

> Size: 6-14

Black PVC hip boot with steel toe

treaded sole, fits over sock/foot.

cap, nylon uppers, 100% waterproof,

Disposable shoe cover with non skid sole. Made of 100% Polypropylene.

> Case Pack: 1000 pieces (10 poly bags of 100 each)



5151



(Shoe Covers in Use)

Style 9260

"Haz-Mat" boot, 12" high, .50mm latex 100% waterproof, rough sole for non-skid protection, excellent boot for environmental clean up, fits over work shoes, available in high visibility industrial yellow.

- > Size: SM-3XL
- > SM = 6/8MD = 8/9
- LG = 10/11
- XL = 12/13
- 2XL = 14/153XL = 16+





(Sole Pattern)



Footwear > Hip Boots & Chest Wader

Style 9268

Black & yellow rubber hip boot with steel toe cap & mid sole, 100% waterproof, treaded sole, fits over sock/foot. Meets ASTM F2413.

- > Size: 6-14
- > Case Pack: 6 Pairs

Style 9272

Black chest waders, steel toe, PVC boot, nylon uppers, 100% waterproof, treaded sole, fits over the sock/foot. Meets ASTM F2413.

- > Size: 6-14
- > Case Pack: 6 Pairs







(Sole Pattern)



Respiratory Protection

Ironwear Respiratory Protection keeps yourself & others safe from harmful particulate matter.

Forming a barrier as a layer of defense, our masks and respirators are at the ready to protect against airborne particle pollution while on the job and on the go.

Types

- > N95 Respirators
- > Half Face Respirator
- > Cartridges
- > Filters
- > Wipes
- > Washable Masks

Features

- > Adjustable
- > Disposable
- > Ear-Loops
- > Exhalation Valve
- > Folded > Head Straps
- > Kid Size
- > Preformed
- > Reusable

Icon Key









Respiratory Protection >

Disposable Face Mask, KN95 & N95 Respirators

Respiratory Protection > Disposable N95 & P95 Respirators



Style 1500

Disposable face mask with head straps and adjustable nose bridge.

> Case Pack: 1000 Pieces (20 boxes of 50 each)

Style 1506

Folded KN95 respirator with ear-loops and adjustable nose bridge.

> Case Pack: 1000 Pieces (100 poly bags of 10 each)

<u>Style 1511</u>

Folded N95 respirator with head straps and adjustable nose bridge.

> Case Pack: 400 Pieces (20 boxes of 20 each)

Style 1515

Preformed N95 respirator with head straps and adjustable nose bridge.

> Case Pack: 400 Pieces (20 boxes of 20 each)

Style 1516

Preformed N95 respirator with exhalation valve, head straps, and adjustable nose bridge.

> Case Pack: 300 Pieces (20 boxes of 15 each)

Style 1517

Preformed N95 respirator with head straps and adjustable nose bridge.

> Case Pack: 400 Pieces (20 boxes of 20 each)







1511







1515 1516 1517

Style 1512

Folded N95 respirator with exhalation valve, head straps, and adjustable nose bridge.

> Case Pack: 200 Pieces (20 boxes of 10 each)

Style 1513

1500

Folded N95 respirator with head straps and adjustable nose bridge.

> Case Pack: 600 Pieces (20 boxes of 30 each)

Style 1514

Folded N95 respirator with exhalation valve, head straps, and adjustable nose bridge.

> Case Pack: 400 Pieces (20 boxes of 20 each)

Style 1518

Preformed N95 respirator with exhalation valve, head straps, and adjustable nose bridge.

> Case Pack: 100 Pieces (10 boxes of 10 each)

Style 1521

Folded P95 respirator with exhalation valve, head straps and adjustable nose bridge.

> Case Pack: 200 Pieces (20 boxes of 10 each)











1512 1513 1514 1518 1521

ironwear

140

Respiratory Protection > Reusable Half Mask, Filters, & Cartridges



Style 1550

1550 half face respirator with adjustable head straps. Suitable for protection against particulates and a wide variety of gases and vapors when used with cartridges listed on this page & the next page.

> Sizes: SM, MD, & LG

> Case Pack: 30 Each



Style 1560

P100 particulate cartridge.

> Case Pack: 120 Pairs (6 poly bags of 20 pairs)

Style 1565

P100 particulate pancake filter.

> Case Pack: 200 Pairs (4 inner boxes of 50 pairs)

Style 1570

Combined gas vapor cartridge P100 particulate filter. For certain organic vapors, chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide, chlorine dioxide and particulates.

> Case Pack: 72 Pairs (6 poly bags of 12 pairs)









1560 1565 1570

Respiratory Protection > Cartridges & Cleaning Wipes

Style 1580 /\/

Combined chemical cartridge & N95 particulate cartridge. For organic vapors, acid gas, chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride, hydrogen sulfide and particulates.

> Case Pack: 72 Pairs (6 poly bags of 12 pairs)



1580



Chemical cartridge. For organic vapors, acid gas, chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride.

> Case Pack: 72 Pairs (6 poly bags of 12 pairs)



1585

Style 3989

Respiratory cleaning disposable 5" x 8" towelettes. Removes body oils and perspiration from respirators.

> Case Pack: 1000 Pieces (10 boxes of 100 each)





3989

ironwear

Respiratory Protection > Washable Masks

Style 1530 & 1530-KD

Polyester washable face mask with white cotton inner layer & adjustable ear-loops. Not intended for medical use.

1530: Adult size 1530-KD: Kid size

> Case Pack: 200 Pieces (40 poly bags of 5 each)



*1530 & 1530-KD COLOR OPTIONS:



Respiratory Protection > Washable Masks

Style 1531-B

Large polyester washable face mask with white cotton inner layer & adjustable ear-loops. Not intended for medical use.

> Case Pack: 200 Pieces (40 poly bags of 5 each)





Style 1532-B & 1532-B-KD

Polyester washable face mask with a clear PVC window & adjustable ear-loops. Not intended for medical use.

1532-B: Adult size 1532-B-KD: Kid size

> Case Pack: 200 Pieces (40 poly bags of 5 each)





Style 1540FR

CAT 2 flame resistant 100% cotton washable face mask with adjustable ear-loops. Not intended for medical use.

- > ASTM F1959 ATPV=12.0 cal/cm2
- > Case Pack: 200 Pieces (20 poly bags of 10 each)





*1540FR COLOR OPTIONS:











ironwear.com support@ironwear.com

Medical Protection

Ironwear is dedicated to providing effective medical safety solutions for healthcare providers, hospitals, and medical practices.

We believe in health & safety, striving to enable frontline workers with the best equipment for the right procedures. PPE is the first line of defense, needing to be ready and available where and when you need it.

Types

- > Procedural Masks
- > Lab Coats
- > Scrub Top
- > Scrub Pants
- > Isolation Gowns
- > Surgical Gowns
- > Thermometers
- > Hand Sanitizer
- > Antibacterial Wipes
- > Personal Protection Kit

Features

- > Adjustable
- > Breathable
- > Disposable
- > FDA Compliant
- > Lightweight

See Footwear for disposable shoe covers. See Head Protection for face shield, headgear & visor. bouffants, and beard net

Icon Key









Medical Protection >

Disposable & Procedural Masks

Style 1502, 1502-KD, & 1503

Blue disposable 3-Ply face mask with ear-loops.

100% polypropylene mask (6.75"x3.5") 1502:

100% polypropylene mask, kid size (5.5"x3.5") 1502-KD:

> Case Pack: 2000 pieces (40 boxes of 50 each)

Meets ASTM F2100, Level 3 1503-B:

> Case Pack: 1000 Pieces (20 boxes of 50 each)



Procedural face mask with wraparound 0.10mm PET anti-fog eye shield, black foam breath buffer, and ear-loops. Meets ASTM F2100, Level 3.

1508-B: Blue 1508-PR: Purple

> Case Pack: 100 Pieces (4 boxes of 25 each)



1502

1502-KD

1503-B



(1508-B in Use)



Medical Protection > Procedural Masks FDA





Style 1504

Disposable procedural 3-Ply face mask with ties, Meets ASTM F2100, Level 3.

1504-B: Blue 1504-G: Green

> Case Pack: 1000 Pieces (20 boxes of 50 each)





Style 1509

Procedural face mask with wraparound 0.10mm PET anti-fog eye shield, black foam breath buffer, and ties. Meets ASTM F2100, Level 3.

1509-B: Blue 1509-PR: Purple

> Case Pack: 100 Pieces (4 boxes of 25 each)











Medical Protection > Lab Coat, Scrub Top, & Scrub Pants

Style 5200

Disposable lab coat made with protective nonwoven multilayer material. 100% SMS, 40 gram polypropylene. Breathable, fluid resistant, comfortable, knit collar & cuffs, snap front closure, and 3 pockets.

5200-W: White 5200-B: Blue

> Sizes: SM-5XL

> Case Pack: 30 Each



Medical Protection

Disposable Isolation Gowns

Style 5250 & 5255

Disposable isolation gown with thumbhole wrist and open back. Meets ANSI/AAMI PB70-2012. Level 3.

5250: Made of 100% PE (Polyethylene)

Made of 100% CPE (Chlorinated Polyethylene)

> Case Pack: 300 Each





Style 5300-B

Blue V-neck top, comfortable, gram polypropylene.

- > Case Pack: 30 Each

5300-B



fluid resistant disposable clothing with protective nonwoven multilayer material. 100% SMS, 40

> Sizes: XS-3XL

Style 5251 & 5256

Disposable isolation gown with elastic wrist and back coverage. Meets ANSI/AAMI PB70-2012, Level 3.

5251: Made of 100% PE (Polyethylene)

5256: Made of 100% CPE (Chlorinated Polyethylene)

> Case Pack: 100 Each





Style 5305-B

Blue pants, comfortable, fluid resistant disposable clothing with protective nonwoven multilayer material. 100% SMS, 40 gram polypropylene.

- > Sizes: XS-3XL
- > Case Pack: 30 Each

ironwear.com

Medical Protection > Disposable Isolation Gowns

Style 5230


Isolation gown with knit wrist. Made of SMS or PP/PE. Spunbond polypropylene fabric/polyethylene coated. Meets ANSI/ AAMI PB70:2012, Level 2.

5230-B: Blue **5230-Y:** Yellow

> Size: 2XL

> Case Pack: 100 Each





Style 5231-B

Isolation gown with elastic wrist and taped seams. Spunbond polypropylene fabric/ polyethylene coated. Meets ANSI/AAMI PB70-2012, Level 3.

> Size: 2XL

> Case Pack: 50 Each





Style 5299

Isolation gown with knit wrist and taped seams. Cotton fabric & polyethylene coated cotton fabric. Meets ANSI/AAMI PB70: 2012, Level 2.

> Size: 2XL

> Case Pack: 80 Each





Medical Protection > Surgical Gowns FDA



Style 5240-B

Surgical gown with knit wrists intended to be used in procedures with a high risk of exposure. Made of 50 gram SMS material. Meets ANSI/AAMI PB70, Level 3.

> Sizes: MD-2XL

> Case Pack: **MD:** 28 Each 28 Each LG: XL: 26 Each **2XL:** 24 Each





Style 5241-B

Surgical gown with knit wrists intended to be used in procedures with a high risk of exposure. Made of 45 gram SMS material with reinforced fabric. Meets ANSI/AAMI PB70, Level 3.

> Sizes: SM-2XL

> Case Pack: 28 Each



Style 5242-B

Surgical gown with knit wrists intended to be used in procedures with a high risk of exposure. Made of 68 gram BVB material. Meets ANSI/AAMI PB70, Level 4.

> Sizes: SM-2XL

> Case Pack: 28 Each









Medical Protection > Stethoscope & Infrared Thermometer

Style 7825-B

Dual-head stethoscope with stainless steel chest piece. Stainless steel binaurals can rotate for a comfortable fit. Comes complete with ABS ear tips. Flexible. non-latex, 22" CA65 PVC tubing. 30" overall length.

> Case Pack: 30 Each



(Back Close-Up)



(Replacement Ear Tips)

(Replacement Diaphragm)



Style 7995-B

Professional infrared thermometer with digital LCD display for non-contact measuring of the forehead temperature for both adults and children. Switches easily between Celsius and Fahrenheit, sounds an alert to notify of a high body temperature, saves data with a convenient memory function, has an option to auto turn off the device, and is battery operated. 2 x AAA batteries required (not included). Meets ASTM 1965-98.

- > Unit Dimensions (in): 5" long x 2.875" wide
- > Case Pack: 30 Each



Medical Protection > Digital Thermometers



Style 7870-B

Digital Thermometer with flexible tip. Waterproof, easy to use. Programmed with memory & fever alarm as well as automatic shut-off.

> Case Pack: 500 Each (10 inner boxes of 50 each)



Style 7871-B

Digital Thermometer with tip fixed in place. Waterproof, easy to use. Programmed with memory & fever alarm as well as automatic shut-off.

> Case Pack: 500 Each (10 inner boxes of 50 each)



7871-B

Style 7872-B

Digital Thermometer with flexible tip and large digital display. Waterproof, latex free, & easy to use. Sheath is included for sanitary storage when not in use.

> Case Pack: 300 Each (2 inner boxes of 150 each)



(Sheath)

(Thermometer)

ironwear

Medical Protection > 75% Ethanol Hand Sanitizer & Antibacterial Wipes



Style 7989

2 Oz bottle with carabiner.

> Case Pack: 96 Each



Style 7990

2 Oz bottle with flip cap.

> Case Pack: 200 Each



Style 7991

2 Oz tube with flip cap.

> Case Pack: 192 Each



7991

7990

4 Oz bottle with flip cap.

Style 7985

> Case Pack: 84 Each



7985

Style 7986

8 Oz pump bottle.

> Case Pack: 48 Each



Style 7992

9.9 Oz pump bottle.

> Case Pack: 48 Each



7986

Style 7993

Style 7994

1.29 Gal pump bottle.

> Case Pack: 3 Each

16.9 Oz pump bottle.

> Case Pack: 30 Each



Style 7987

32.4 Oz pump bottle.

> Case Pack: 12 Each



Style 7984

1 Gal pump bottle with screw cap.

> Case Pack: 4 Each



Style 7960

Disposable antibacterial wipes. Kills 99.99% of germs. Perfect size for travel.

> Case Pack: 20 Wipes/pack, 60 packs/carton



7994

Medical Protection

Personal Protection Kit & Additional Medical Protection

Style 7935

Personal Protection Kit includes face masks, hand sanitizer, nitrile gloves, and alcohol wipes inside a clear PVC bag with zipper closure. Perfect for travel. Customization is available upon request.

1502: 10 Disposable 3-ply face masks

7991: 1 Tube of 2oz (60ml) hand sanitizer

4631: 4 Each of nitrile gloves 7960: 20 Alcohol wipes



7935










7960

Additional Medical Protection

5151: Disposable shoe cover 5131-W: Disposable beard net 3956: Disposable face shield 3942-B: Headgear with ratchet

adjustment 3939: Clear visor

5121, 5124, 5128: Bouffant hair covers





5131-W (Page 66)

3956 (Page 65)





5121-W 5124-W 5128-W (Page 66)



5124-BL 5128-BL (Page 66)



Safety Clothing

Fashioned for comfort, quality & fit, our safety clothing is tailored to 'coverall' your safety needs.

From screen printing to heat transfers and embroidery, our in-house personalization options allow for a branded touch or statement. For our clothing, we also offer tape placement services, adding reflective and high visibility safety tape in any number of patterns and designs.

Types

- > Bomber & Windbreaker Jackets
- > Hooded Sweatshirts
- > Short & Long Sleeve Shirts
- > Cotton Coveralls & Separates
- > Disposable Coveralls
- > Polypropylene Set
- > PVC/Polyester/PVC Apron
- > Back Support Belt & Suspenders
- > Mesh Pants
- > Neck Gaiters

Features

- > ARC Rated
- > Attached Boot
- > Black Bottom
- > Class 2
- > Class 3
- > Economy
- > Flame Resistant
- > Flame Retardant
- > Hidden Collar Hood > High Visibility

- > Modacrylic
- > Moisture Wicking
- > Radio Clip Holders
- > Reflective Tape
- > Segmented Tape
- > UL Classified

Lab coats and disposable isolation & surgical gowns are

Icon Key









Radio Clip

of Pockets

Flame Retardant



Flame retardant products have been evaluated under test method D6413 and will self-extinguish when caught on fire. Our flame

retardant garments ensure after flame is less than 2.0 seconds average and char length is less than 6" on average. Flame retardant products should never be used where an arc flash or flash fire is present.



Safety Clothing > Class 3 Jackets

Style 6400-L 4





100% Polyester bomber jacket, hi-vis lime & black, black fleece liner, zip-off hidden detachable hood, elastic cuffs & hem. High visibility 2" silver reflective tape in a suspender pattern over top of shoulders as well as 360° continuous reflective bands around torso and arms. Features 2 outside slash pockets with flap, 1 outside left chest radio pocket, 1 right chest wallet pocket, 2 radio clip holders. ANSI/ISEA 107-2020, Class 3.



- > Case Pack: 10 Each



6400-L



(Hidden Collar Hood)

Style 6410-L 4

100% Polyester bomber jacket, lime/ black, with removable black fleece liner, elastic cuffs and hem. High visibility 2" silver reflective tape in a suspender pattern over top of shoulders as well as 360° continuous reflective bands around torso and arms. Features 2 slash pockets with flap, 1 clear left chest radio pocket, 1 right chest wallet pocket, 2 radio clip holders. ANSI/ISEA 107-2020, Class 3.

- > Size: SM-5XL
- > Case Pack: 10 Each




Safety Clothing > Class 3 UL Classified Jackets

Style 6415FR-LB









(Hidden Collar Hood)









6415FR-LB





(Back)

Safety Clothing > Class 3 Jackets

Style 6435-L **3**

100% Polyester lightweight waterproof hi-vis lime & black jacket with tuck away hood. 2" silver reflective tape in a suspender pattern with 360° bands around torso and arms. Features zipper front closure, 1 left vertical wallet pocket with zipper, 2 outside lower slash pockets with zipper, adjustable wrist hem and hidden waist elastic cord. ANSI/ISEA 107-2020, Class 3.

- > Size: SM-5XL
- > Case Pack: 10 Each



Style 6445-L **2**

100% Polyester hi-vis lime windbreaker. 2" silver reflective tape in a suspender pattern with 360° bands around torso and arms. Includes sewn-in rayon liner, elastic pull tie waist, zipper closure and 2-zipped pockets. ANSI/ISEA 107-2020, Class 3.

- > Size: SM-5XL
- > Case Pack: 10 Each



Safety Clothing > Hooded Sweatshirts

Style 6300-L **1**

100% Polyester premium hooded sweatshirt. Heavyweight, hi-vis lime with black bottom area. 2" silver reflective tape in a suspender pattern with 360° bands around torso and arms. Features 1 pass through front pocket ANSI/ISEA 107-2020, Class 3.

- > Size: SM-5XL
- > Case Pack: 10 Each





6300-L

Style 6340FR-N (**) (2 **)





55% Modacrylic/45% cotton navy sweatshirt. Features two side pockets and a hood with an adjustable drawstring for safety. This garment is intended for protection against short duration electric arcs and thermal exposure up to ATPV 28 cal/cm2.

- > Size: SM-5XL
- > Case Pack: 10 Each





(Back)

Safety Clothing > Economy & Class 2 Safety Shirts

Style 1800 **1**

100% Polyester hi-vis short sleeve shirt, 1 front chest pocket.

1800-L: Lime

> Size: MD-6XL

1800-O: Orange

> Size: SM-6XL

> Case Pack: 50 Each



Style 1802 **1**

100% Polyester hi-vis long sleeve shirt, 1 front chest pocket.

1802-L: Lime

> Size: SM-5XL

1802-O: Orange

> Size: MD-4XL

> Case Pack: 50 Each







Safety Clothing > Class 2 Safety Shirts

Style 1805 **1**

100% Polyester hi-vis short sleeve shirt, 2" silver reflective tape in a suspender pattern with 360° band around torso, and 1 front chest pocket. ANSI/ISEA 107-2020, Class 2.

1805-L: Lime 1805-O: Orange

1805FR-L: Lime, flame retardant

& self-extinguishing

> Size: SM-6XL

1805FR-O: Orange, flame retardant

> Size: SM-4XL

> Case Pack: 50 Each

Style 1805-LB **1**

100% Polyester hi-vis lime short sleeve shirt with black front bottom area, 2" silver reflective tape in a suspender pattern with 360° band around torso, and 1 front chest pocket. ANSI/ISEA 107-2020, Class 2.

> Size: MD-6XL > Case Pack: 50 Each





Style 1200 **1**

100% Polyester hi-vis short sleeve shirt, 2" silver reflective tape in a suspender pattern with 360° band around torso, and 1 front chest pocket with reflective tape overtop. ANSI/ISEA 107-2020, Class 2.

1200-L-TP: Lime

> Size: MD-6XL

1200-O-TP: Orange

> Size: MD-7XL

> Size: MD-6XL

> Case Pack: 50 Each



1200-L-TP

Style 1820-L **1**

100% Polyester hi-vis lime polo shirt, 2" segmented silver reflective tape in a suspender pattern with 360° band around torso, and 1 front chest pocket. ANSI/ISEA 107-2020, Class 2.

> Size: MD-5XL > Case Pack: 50 Each



1820-L (Back)



1802-O

ironwear

Safety Clothing > Class 2 Safety Shirts

Style 1835 **1**

100% Polyester hi-vis long sleeve shirt, 2" silver reflective tape in a suspender pattern with 360° band around torso, and 1 front chest pocket. ANSI/ISEA 107-2020, Class 2.

1835-L: Lime Orange 1835-O:

> Size: SM-6XL

> Case Pack: 50 Each







107-2020, Class 2. 1201-L-TP: Lime 1201-O-TP: Orange

Safety Clothing > Class 2 & 3 Safety Shirts

Style 1201 **1**

100% Polyester hi-vis short sleeve shirt, 2" silver reflective tape in a suspender pattern with 360° bands around torso and arms, and 1 front chest pocket with reflective tape overtop. ANSI/ISEA

1201FR-L-TP: Lime, flame retardant

100% Polyester hi-vis long sleeve shirt,

2" silver reflective tape in a suspender

pattern with 360° bands around torso

reflective tape overtop. ANSI/ISEA

and arms, and 1 front chest pocket with

> Size: MD-5XL > Case Pack: 50





1201-L-TP 1201FR-L-TP

1201-O-TP

Style 1835-LB **1**

100% Polyester hi-vis lime short sleeve shirt with black bottom area, 2" silver reflective tape in a suspender pattern with 360° band around torso, and 1 front chest pocket. ANSI/ISEA 107-2020, Class 2.

> Size: MD-4XL > Case Pack: 50 Each







1204-L-TP: Lime

107-2020, Class 3.

Style 1204 **1**

> Size: MD-7XL

1204-O-TP: Orange

1204FR-L-TP: Lime, flame retardant

> > Size: SM-6XL Orange, flame retardant

1204FR-O-TP:

> Size: SM-6XL

1204-L-TP 1204FR-L-TP



1204-O-TP 1204FR-O-TP

Style 1850-L 1

100% Polyester hi-vis lime moisture wicking fabric to keep you cool as you sweat. Short sleeve shirt with 2" segmented silver reflective tape in a suspender pattern with 360° band around torso, and 1 front chest pocket with reflective tape overtop. ANSI/ISEA 107-2020, Class 2.

- > Size: SM-4XL
- > Case Pack: 50 Each







Style 1855-L **1**

> Case Pack: 50

100% Polyester hi-vis lime moisture wicking fabric to keep you cool as you sweat. Long sleeve shirt with 2" segmented silver reflective tape in a suspender pattern with 360° band around torso, and 1 front chest pocket with reflective tape overtop. ANSI/ISEA 107-2020, Class 3.

- > Size: SM-4XL
- > Case Pack: 50





(Back)

ironwear

Safety Clothing > Class 3 Safety Shirts

Style 1840 **1**

100% Polyester hi-vis short sleeve shirt with black bottom area, UV treated, 2" segmented silver reflective tape in a suspender pattern with 360° bands around torso and arms, and 1 front chest pocket. ANSI/ISEA 107-2020, Class 3.

1840-L: Lime

> Size: SM-5XL

> Size: MD-5XL

1840-O: Orange

> Case Pack: 50 Each

Style 1841

100% Polyester hi-vis long sleeve shirt with black bottom area, UV treated, 2" segmented silver reflective tape in a suspender pattern with 360° bands around torso and arms, and 1 front chest pocket. ANSI/ISEA 107-2020, Class 3.

1841-L: Lime

> Size: SM-5XL

1841-O: Orange


> Size: MD-4XL

> Case Pack: 50 Each



Safety Clothing > FR Long Sleeve Shirts

Style 1209FR-L-TP



> Size: SM-5XL

> Case Pack: 25 Each







(Back)

(Back)



45% Modacrylic/45% rayon/10% para-aramid hi-vis lime shirt, 2" segmented silver reflective tape in a suspender pattern with 360° bands around torso and arms, and 1 front chest pocket with reflective tape overtop. CAT 2, 10 cal/cm2. ANSI/ISEA 107-2020, Class 2.

> Size: SM-5XL

> Case Pack: 25 Each



1210FR-L-TP



Style 1212FR-N

100% Cotton long sleeve shirt featuring ribbed cuffs and a two-button collar to fend off drafts while protecting your skin from hazards. Intended for protection against short duration electric arcs and thermal exposure up to Cat 2, ATPV 13.3 cal/cm2. ASTM F 1506-10.

> Size: SM-5XL > Case Pack: 25 Each

(Back)



1212FR-N



(Back)

Safety Clothing > FR Cotton Coveralls

Style 6500 & 6510 (2) (7) (7) (8)








Coverall with ARC rating of 9.5 ATPV, CAT 2. Features elastic waist, adjustable sleeve cuffs, 1 open chest pocket, 1 chest pocket with safety flap, 1 open hip pocket, 1 hip pocket with snap closure, 1 utility pocket and 2 side pockets with internal pass through. Maintains flame resistant properties up to 100 washing cycles, as per washing instructions.

6500FR-O: 9.0 oz, Orange 6500FR-N: 9.0 oz, Navy 9.0 oz, Khaki 6500FR-K: 6510FR-O: 7.0 oz, Orange 6510FR-N: 7.0 oz, Navy

7.0 oz, Khaki

> Size: SM-7XL / 36"-74" > Case Pack: 10 Each

6510FR-K:





	SM		MD		LG		XL		2XL		3XL		4XL		5XL		6XL		7XL	
Size (in)	36"	38"	40"	42"	44"	46"	48"	50"	52"	54"	56"	58"	60"	62"	64"	66"	68"	70"	72"	74"



Safety Clothing > FR Cotton Separates

Style 6610FR (7) (7) (7)







100% Cotton 7 oz long sleeve shirt with ARC rating of 9.0 ATPV, CAT 2. Features button closure cuffs, 2 chest pockets with safety flap, 2 shoulder radio clips, 1 front chest radio clip, button front closure.

> Case Pack: 10 Each

6610FR-N:

Navy

6610FR-K: Khaki

6610FR-G: Grey

> Size: SM-5XL

> Size: SM-6XL







6610FR-K



6610FR-G

Style 6710FR-N (7) (7) (7)







100% Cotton 7 oz cargo pant with ARC rating of 9.0 ATPV, CAT 2. Features 2 hip pockets, 2 side pockets with hook & loop closure, 1 open rear pocket, 1 rear pocket with flap with hook & loop closure, and 1 cell phone pocket.

- > Size: 30"-44" waist, 28"-36" inseam
- > Case Pack: 10 Each



6710FR-N



(Back)

Safety Clothing > Disposable Coveralls

Style 1600, 1620, & 1640

White breathable disposable coveralls made with microporous film bonded to spun bond polypropylene. Features zipper front closure. Fabric Weight: 55 GR/SM / 1.5 OZ/SYD, 28 GR/SM polypropylene + 27 GR/SM breathable polyethylene film. .75 OZ/SYD polypropylene + .75 OZ/SYD breathable polyethylene film.

1600: Elastic wrists, elastic ankles, & collar

> Size: SM-7XL


Elastic wrists, elastic ankles, 1620: & attached hood

> Size: SM-5XL

1640: Elastic wrists, attached hood, & boots

> Size: SM-6XL

> Case Pack: 25 Each



Safety Clothing > Disposable Coveralls

Style 1601, 1621, & 1641

Blue breathable disposable coveralls made with flame retardant self-extinguishing 100% polypropylene. Features zipper front closure.

1601: Elastic wrists, elastic ankles,

& collar > Size: SM-5XL


1621: Elastic wrists, elastic ankles, & attached hood

> Size: SM-7XL

1641: Elastic wrists, attached hood, & boots

> Size: MD-5XL

> Case Pack: 25 Each







ironwear

Safety Clothing > Disposable Coveralls

Style 1602FR, 1622FR, & 1642FR



Blue disposable flame-resistant coveralls made with breathable spun laced, 50% rayon/ 50% polyester. Zipper front closure. Meets ANSI/ISÉA 203-2018.

1602FR: Elastic wrists, elastic ankles,

& collar

> Size: SM-7XL

Elastic wrists, elastic ankles, 1622FR:


& attached hood

> Size: SM-5XL

1642FR: Elastic wrists, attached hood & boots

> Size: MD-5XL

> Case Pack: 25 Each



Safety Clothing > Disposable Coveralls

Style 1605, 1625, & 1645

Yellow disposable coveralls made with water resistant non-breathable polypropylene film bonded to spun bond polypropylene. Zipper front closure.

1605: Elastic wrists, elastic ankles, & collar


> Size: LG-5XL

Elastic wrists, elastic ankles, 1625: & attached hood

1645: Elastic wrists, attached hood & boots

> Size: MD-5XL

> Case Pack: 25 Each







1602FR 1622FR 1642FR

support@ironwear.com

Safety Clothing > Disposable Coveralls

Style 1650, 1651, & 1652

Yellow chemical & water resistant, disposable coveralls made with non-breathable polypropylene coated by multi-ply polyethylene. Zipper front closure.


1650: Elastic wrists, elastic ankles, & collar

1651: Elastic wrists, elastic ankles, & attached hood

1652: Elastic wrists, attached hood, & boots

> Size: SM-5XL

> Case Pack: 25 Each





Safety Clothing > Polypropylene Set & Apron

Style 1636

Yellow water resistant, non-breathable set made with polypropylene film bonded to spun bond polypropylene. Includes jacket with zipper, detachable hood, and waist pant.

- > Sizes: LG-4XL
- > Case Pack: 50 Each





Style 9228

Yellow apron made with .35mm PVC/Polyester/PVC. Resistant to many oils, fats and chemicals. Measurement 35" x 48".

- > Size: One size fits all
- > Case Pack: 24 Each



Safety Clothing > Back Support Belt & Suspenders

Style 1900

Back support belt featuring adjustable elastic outer panels and tapered abdominal support panels.

- > Sizes: SM-4XL
- > Case Pack: 24 Each





(Open Back) 1900

Safety Clothing > Mesh Pants & Neck Gaiters

Style 1274-L

Hi-vis lime mesh pants with elastic waist & pant cuffs. Features two 1" silver reflective tape bands per 4" hi-vis orange fabric in 360° continuous bands around legs. Meets ANSI/ISEA 107 Class E.

- > Size: SM-5XL
- > Case Pack: 50 Each



Style 1377-L

100% Polyester hi-vis lime neck gaiter (10" x 18").

> Case Pack: 200 Each



1377-L

Style 1915-L

Reflective suspender, easy front snap buckle, adjustable sides and top.

- > Size: One size fits all
- > Case Pack: 100 Each





1915-L (Back)

Style 1378FR

100% Cotton neck gaiter. ASTM F1959 ATPV=12.0 cal/cm2.

1378FR-L: Lime 1378FR-B: Black 1378FR-G: Grey 1378FR-N: Navy 1378FR-K: Khaki

> Case Pack: 100 Each





1378FR-B

1378FR-N







(Front Snap Buckle)

Sleeves & Arm Protection

Arm yourself with Ironwear Tough-Guards and sleeves. Protect against heat, cuts, abrasions, liquid and chemical contact.

From food processing and meat packing to petrochemical industries, our Sleeves & Arm products are your safety solution needed in order to exceed each individual job task.

PVC Tough-Guards

- > Offered in various styles
- > Non-pictured colors available upon request

Polyurethane/Nylon

> Made for protection from chemical contact - waterproof

Terry Blend

> Made of materials for general use for heat protection

HPPE Engineered Yarn

> Highest tensile strength to mass ratio compared to other available fibers

Icon Key



Compliant



Detectable



Steel mesh products in Steel Mesh Clothing

Sleeves & Arm Protection >

Style 4980-B

Tough-Guard, 7.5" clear plastic arm Tough-Guard, 7.5" blue plastic arm guard, 100% PVC, turned on one end. guard, 100% PVC, turned on one end.

- > Size: SM-2XL
 - > Case Pack: 48 Each

Arm Guards & Sleeves





Tough-Guard MD, 7.5" blue plastic arm guard, metal detectable, 100% PVC, turned on one end.

- > Size: SM-2XL
- > Case Pack: 48 Each



Style 4980-C FDA COMPLIANT

> Size: SM-2XL

> Case Pack: 48 Each







4980-B-MD

Style 4360

19" Terry blended sleeve.

> Case Pack: 4 Dozen

Style 9460

Gold, 18" sleeve, polyurethane/nylon.

> Case Pack: 24 Pairs



Style 4370 ASTM ANSICULE VEL A4

18" HPPE cut resistant sleeve with thumb opening. Meets ANSI cut level A4

4370-L: Lime 4370-G: Grey

> Case Pack: 120 Each









4370-G



Hearing Protection

Ironwear Hearing Protection offers a wide variety options to fit your needs.

Options include 100% metal detectable earplugs used in the food industry to ensure the highest levels of safety.

Disposable Ear Plugs

- > Corded & Uncorded
- Foam Plug/PE CordMoldable
- > 33dB

Reusable Ear Plugs

- > Silicone Plug/PE Cord
- > Foam Plug/PE Cord
- > 29dB

Ear Muffs

- > Tested under ANSI 53.19 1974
- > Made from ABS
- > 24 dB

Icon Key



Metal Detectable



ironwear.com

Hearing Protection > Ear Plugs

Style 1700 & 1705

NRR: 33dB rated polyurethane disposable foam ear plug with moldable foam for good fit. Gently expands and self-adjusts to all size ear canals.

1700: Foam pair

> Case Pack: 2000 Pairs (10 boxes of 200 each)

1705: Foam pair with PE cord

> Case Pack: 2000 Pairs (20 boxes of 100 each)

Style 1725

NRR: 29dB rated silicone reusable ear plug with ridge silicone for good fit and PE cord. No rolling or sizing needed to get a comfortable fit. Soft silicone is washable and reusable to promote worker hygiene.

> Case Pack: 2000 Pairs (20 boxes of 100 each)




NRR: 33dB rated, metal detectable disposable foam ear plug and PE cord. Plug gently expands and self-adjusts to all size ear canals. Soft foam earplugs provide all day comfort in bright blue for easy detectability.

> Case Pack: 2000 Pairs (20 boxes of 100 each)



NRR: 29dB rated metal detectable reusable silicone ear plug and PE cord. No rolling or sizing needed to get a comfortable fit. Soft silicone is washable and reusable to promote worker hygiene. 100% tip-to-tip metal detectable protection.

> Case Pack: 2000 Pairs (20 boxes of 100 each)









Hearing Protection > Ear Muff

Style 1750

NRR rated 24 dB, ear muff that fits 3975 & 3976 Ironwear Raptor Helmets. Meets ANSI 53.19 1974.

> Case Pack: 60 Pairs





(Helmet Not Included)

ironwear.com

Steel Mesh Clothing

Forged from high quality stainless steel and individually welded into small rings, Ironwear Steel Mesh products provide the utmost protection.

Our ring diameter is one of the smallest on the market, allowing the steel mesh to have a more secure fit and no large gaps. With detail in mind, the added ID tags are not simply held on but riveted for extra durability.

Hand Protection

- > From wrist to 7.5" extended cuff
- > From reversible and adjustable to interchangeable straps and snaps
- > Customizable to specific applications, like our shuckers glove with fingerless tips

Arm Guards

- > Offered in various sizes
- > Customizations upon request

Aprons, Tunics, & Leggings

> Made to order based on application needs

We understand each task comes with a different set of safety and performance factors and we are here to work with you to provide a total Metal Mesh Program that meets your needs.

The structure of our mesh products is convenient for washing & disinfecting. Stainless steel rings are individually welded for maximum strength, flexibility, and durability. Each ring has 4 other rings passing through it to prevent gaps.

All of our mesh clothing meets or exceeds EN 1082-1: 1996.

Steel Mesh Clothing > Gloves

4991-P 4994-P


Plastic Buckle Closure





4991 4996 5003

Clasp Closure



4993

Style 4991-P

Ambidextrous glove with wrist length cuff and adjustable plastic buckle closure.

- > Size: XXS-2XL
- > Case Pack: 1 Glove



4991-P

Style 4991

Ambidextrous glove with wrist length cuff, adjustable wrist, and adjustable wrist snap closure.

- > Size: XXS-2XL
- > Case Pack: 1 Glove



4991

Style 4993

Ambidextrous glove with 7" extended cuff and adjustable clasp closure.

- > Size: XXS-2XL
- > Case Pack: 1 Glove



Style 4994-P

Ambidextrous glove with 2.25" cuff and adjustable plastic buckle closure.

- > Size: XXS-2XL
- > Case Pack: 1 Glove



Style 4996

Ambidextrous 3 finger glove with adjustable wrist snap closure.

- > Size: XXS-2XL
- > Case Pack: 1 Glove



Style 5003

Ambidextrous oyster shucking glove with adjustable wrist snap closure.

- > Size: XXS-2XL
- > Case Pack: 1 Glove



5003

Steel Mesh Clothing > Accessories

Style 5004

Steel mesh shucking pad, with silicone border, two loops for fingers to hold in place while shucking.

5004-LG: 6" x 6" 5004-XL: 6" x 7.5"

- > Size: LG-XL
- > Case Pack: 1 Piece





(Bottom)

(Top)

5004

Style 5020

Replacement plastic straps, sold separately to replace damaged metal mesh glove wrist closures, fits 4991-P and 4994-P metal mesh glove styles.

XXS: Brown XS: Purple SM: White MD: Red LG: Blue XL: Green 2XL: Orange

- > Size: XXS-2XL
- > Case Pack: 1 Strap

Style 5021

Blue polyurethane tensioner, used with metal mesh glove, greater hand control allowing for snug fit, blue color for better visibility.

- > Size: One size fits all
- > Case Pack: 2000 Each



5020





ironwear.com support@ironwear.com


Steel Mesh Clothing > Arm Guard & Tunic

Style 4997

Full sleeve arm guard with adjustable shoulder strap.

- > Size: XXS-2XL
- > Case Pack: 1 Piece





Style 4998

Tunic with adjustable shoulder snap closure and adjustable wrist snap closure.

- > Size: XXS-2XL
- > Case Pack: 1 Piece







(Shoulder Snap Closure)

Steel Mesh Clothing > Apron & Leggings

Style 4999

Apron with interchangeable & adjustable shoulder straps. Available with either PU or nylon straps.

- > Size: Made to order
- > Case Pack: 1 Piece







Style 5000

Leggings with adjustable nylon leg straps.

- > Size: Made to order
- > Case Pack: 1 Piece





5000

ironwear



Safety Equipment > **Barrier Tapes**

Barrier Tapes

Assorted 3" wide Polyethylene barrier tapes with black lettering. Inquire for custom legends.

- > Length: 1000'
- > Case Pack: 12 Rolls



1.5 Mil Tape

CAUTION CAUTION CAUTION 1103-01 **DANGER DANGER DANGER** 1103-02

2.0 Mil Tape

CAUTION CAUTION CAUTION 1102-01 **CAUTION DO NOT ENTER** 1102-02 **CAUTION CUIDADO** 1102-06 **DANGER DANGER DANGER** 1102-03 **DANGER DO NOT ENTER** 1102-04

2.5 Mil Tape

CAUTION CAUTION CAUTION CAUTION DO NOT ENTER POLICE LINE DO NOT CROSS CAUTION CUIDADO CAUTION HYDROBLASTING CAUTION CHEMICAL CLEANING DANGER DANGER DANGER **DANGER DO NOT ENTER**

1101-01 1101-02

DANGER HYDROBLASTING 1101-03

DANGER PELIGRO

DANGER CHEMICAL CLEANING





1100-01

1100-02

1100-03

1100-04

1100-05

1100-06

1101-04

1101-05

1105-01

Safety Equipment > Flags, Fan Covers, Fence, & Netting

Style 1320 & 1330

Heavy duty PVC coated polypropylene fabric hi-vis orange flags.

1320: 24" Plastic staff > Size: 18" x 18" 30" Plastic staff > Size: 24" x 24"

> Case Pack: 50 Each

Style 1349, 1350, & 1351

Polypropylene disposable fan covers with hook & loop closure sized for 24", 30". 36" diameter fans.


1349: 24" Diameter 1350: 30" Diameter 1351: 36" Diameter

> Case Pack: 100 Pieces


Style 1400

Orange rectangle patterned PVC barrier fence with 1.5" X 3.5" openings. 4' X 100' length, 100 rolls/pallet, 9lb roll.

> Case Pack: 1 Roll







Style 1440, 1445, 1450, & 1455

1320

1330

Polyethylene debris netting, UV & flame retardant, high density, 0.17" X 0.2" opening. Meets NFPA 701-2015.

> Case Pack: 1 Roll

1440: 48" x 100' Length, orange, 36 rolls/pallet, 12.4lb roll

48" x 150' Length, orange, 1440-150: 36 rolls/pallet, 18.6lb roll

1445: 66" x 100' Length, orange,

36 rolls/pallet, 17lb roll

1445-150: 66" x 150' Length, orange, 36 rolls/pallet, 25.5lb roll

48" X 100' Length, orange, 1450: 100 rolls/pallet, 6.5lb roll


1450-150: 48" X 150' Length, orange,

36 rolls/pallet, 9.8lb roll

1450-150-BL: 48" X 150' Length, blue,

1455: 66" x 100' Length, orange,

36 rolls/pallet, 9.8lb roll 36 rolls/pallet, 9lb roll





Style 1920

Lightweight EVA foam kneeling pad with non-slip surface and handles for traction, stability, and easy portability. Can be used with 1940 & 1960 knee pads.

Safety Equipment > Kneeling Pad & Knee Pads

> Case Pack: 12 Each



Style 1940

Lightweight economy knee pads with soft XPE foam padding and adjustable hook & loop closure.

> Case Pack: 36 Pairs





1940

Style 1960

Premium knee pads with EVA foam & gel cushion, adjustable hook & loop closure, and PVC cap for added protection & comfort.

> Case Pack: 12 Pairs







<u>Index</u>

<u>Index</u>

<u>Style</u>	<u>Page</u>	<u>Style</u>	<u>Page</u>	<u>Style</u>	<u>Page</u>	<u>Style</u>	<u>Page</u>	<u>Style</u>	<u>Page</u>	<u>Style</u>	<u>Page</u>	<u>Style</u>	<u>Page</u>	<u>Style</u>	<u>Page</u>
0-P0510-BG	112	1246-P-RD	38	1284FR-L	41	1330	193	1602FR	173	2350-SSH	97	2820	98	3100-B-IB	76
1100-01	192	1246-S-RD	38	1284FR-LZ	42	1349	193	1605	174	2360	96	2830	109	3100-B-IOM	76
1100-02	192	1247-L	39	1284FR-LZ-RD	42	1350	193	1620	171	2365	93	2845	98	3100-B-O	76
1100-03	192	1250	34	1284FR-LZ-RD-CID	42	1351	193	1621	172	2406-ARH	99	2846	98	3100-B-SBB	75
1100-04	192	1251	34	1284FR-LZ-RD-X	43	1377-L	178	1622FR	173	2406-ASLH	99	2847	98	3100-B-SM	76
1100-05	192	1255FR-LZ-RD	39	1284FR-O	41	1378FR-B	178	1625	174	2406-SRH	99	2848	98	3300-B-A	78
1100-06	192	1256FR-LZ-RD	49	1284FR-OZ	42	1378FR-G	178	1636	176	2406-SSH	99	2850	111	3300-B-C	78
1101-01	192	1257FR-LZ-RD	48	1284FR-OZ-RD	42	1378FR-K	178	1640	171	2406D-ARH	100	2851	111	3300-B-C/A	78
1101-02	192	1258FR-LZ-RD	49	1284FR-OZ-RD-CIE	42	1378FR-L	178	1641	172	2406D-SRH	100	2880	112	3300-B-G	78
1101-03	192	1260	33	1284FR-RZ-RD	35	1378FR-N	178	1642FR	173	2406D-SSH	100	2889	112	3300-B-G/A	78
1101-04	192	1264FR-BRK-L	48	1285-L	44	1400	193	1645	174	2408-ARH-LE	102	2975	111	3300-B-IB	77
1101-05	192	1265	34	1285-O	44	1440	193	1650	175	2408-SSH-LE	101	2979	109	3300-B-IOM	78
1102-01	192	1266FR-L-RD	48	1286-L	44	1440-150	193	1651	175	2408D-ARH-LE	102	2980-100	110	3300-B-O	78
1102-02	192	1266FR-LZ-RD	48	1286-O	44	1445	193	1652	175	2408D-SRH-LE	102	2980-60	110	3300-B-SBB	78
1102-03	192	1267FR-L-RD	49	1287-BRK-L	46	1445-150	193	1700	183	2408D-SSH-LE	101	2985-100	110	3300-B-SM	78
1102-04	192	1269-L	39	1287-BRK-O	46	1450	193	1705	183	2409-STBH	103	2985-60	110	3475-C	73
1102-06	192	1269-O	39	1287-LZ	45	1450-150	193	1710	183	2409D-STBH	103	3020-C	69	3475-G	73
1103-01	192	1270-L	61	1287-LZ-RD	45	1450-150-BL	193	1725	183	2410-SRH	104	3020-C/A	69	3475-IOM	73
1103-02	192	1270-O	61	1287-OZ	45	1455	193	1730	183	24100-SSH	108	3020-G	69	3500-A	79
1105-01	192	1271-L	66	1287-OZ-RD	45	1500	139	1750	184	2411-SRH	104	3020-G/A	69	3500-BM	80
1200-L-TP	163	1271-O	66	1287-OZ-RD-CID	46	1502	147	1800-L	163	2411-SSH	104	3020-IOM	69	3500-C	80
1200-O-TP	163	1272-L	61	1287FR-BRK-L	46	1502-KD	147	1800-O	163	2420-SSH	105	3020-P	69	3500-C/A	80
1201-L-TP	166	1272-O	61	1287FR-BRK-O	46	1503	147	1802-L	163	2420-SSH-LE	106	3030-C-1.5	70	3500-G	80
1201-O-TP	166	1273-L	20	1287FR-LZ-RD	45	1504-B	148	1802-O	163	2430-SSH	105	3030-C-2.0	70	3500-G/A	80
1201FR-L-TP	166	1273-O	20	1287FR-LZ-RD-CID		1504-G	148	1805-L	164	2430-SSH-LE	106	3030-C-2.5	70	3500-IB	80
1204-L-TP	166	1274-L	178	1287FR-LZ-RD-X	46	1506	139	1805-LB	164	2430A-SSH	105	3030-G-1.5	70	3500-IOM	80
1204-O-TP	166	1277-LZ-RD	40	1287FR-OZ-RD	45	1508-B	147	1805-O	164	2450-SSH	107	3030-G-2.0	70	3500-SM	80
1204FR-L-TP	166	1277-OZ-RD	40	1288-O	47	1508-PR	147	1805FR-L	164	2450-SSH-LE	107	3030-G-2.5	70	3500NP-C	80
1204FR-O-TP	166	1277FR-LZ-RD	40	1289-O	47	1509-B	148	1805FR-O	164	2450A-SSH	107	3080-B-C	71	3500NP-G	80
1205	33	1277FR-OZ-RD	40	1290-L	47	1509-PR	148	1820-L	164	2465-SSH-LE	108	3080-B-C-CORD	71	3500NP-IOM	80
1209FR-L-TP	168	1278FR-LZ-RD	40	1290-O	47	1511	139	1835-L	165	2520	93	3080-B-G	71	3550-A-A	82
1210FR-L-TP	168	1279-BS-RD-CID	35	1290FR-L	47	1512	139	1835-LB	165	2540	93	3080-B-G-CORD	71	3550-B-IB	82
1212FR-N	168	1279-LS-RD-CID	41	1290FR-O	47	1513	139	1835-O	165	2600	96	3080-B-IOM	71	3550-C-C	82
1215	33	1279-LZ-RD-CID	41	1291-L	50	1514	139	1840-L	167	2601	96	3080-B-IOM-CORI		3550-C-C/A	82
1216	33	1279-OS-RD-CID	41	1291-O	50	1515	140	1840-O	167	2625	96	3085-B-C/A	72	3550-C/BTR-C	82
1217-BRK-L	33	1279-RS-RD-CID	35	1292-L	50	1516	140	1841-L	167	2704	95	3085-B-G/A	72	3550-G-BM	81
1217-L	33	1280-LS-RD-CID	50	1292-O	50	1517	140	1841-O	167	2704-DR	95	3085-BL-C/A	72	3550-G-G	82
1217-O	33	1284-BKZ-RD	35	1293-BRK-L-RD	51	1518	140	1850-L	165	2706	95	3085-O-BL/A	72	3550-G-G/A	82
1218-B	33	1284-BRK-L	43	1293-BRK-O-RD	51	1521	140	1855-L	166	2706-DR	95	3085-P-C/A	72	3550-G-GM	82
1218-G	33	1284-BZ	35 35	1293-LZ	51	1530	143	1900	177	2708	95	3085-R-C/A	72	3550-G-IOM	82
1218-R	33	1284-GZ-RD	35	1293-OZ	51	1530-KD	143	1915-L	177	2708-DR	95	3085-SB-C/A	72	3550-G-SM	82
1220	34	1284-L	41	1293FR-LZ-RD	51	1531-B	144	1920	194	2710	95	3095-B/BT-C/A	73	3550-G/BTR-G	82
1231-LZ	36	1284-LZ	42	1293FR-OZ-RD	51	1532-B	144	1940	194	2710-DR	95	3095-B/BT-G/A	73	3600-B-C	83
1235	34	1284-LZ-PT	43	1294-LZ	52	1532-B-KD	144	1960	194	2712	95	3097-B-C/A-MD	74 74	3600-B-G	83
1236	34	1284-LZ-RD	42	1294-LZ-RD-X	52	1540FR	144	2100	93	2712-DR	95	3097-BL-BL/A-MD		3600-BL-C	83
1240	34	1284-LZ-RD-CID	42	1294-OZ	52	1550	141	2125	93	2720 2720 P.P.	95	3097-BL-C/A-MD	74 70	3600-U-C	83
1241-LZ-RD-CID	36	1284-O	41	1294FR-L	52	1560	141	2150	93	2720-DR	95	3100-B-A	76 76	3600-U-G	83
1241-OZ-RD-CID	36	1284-OZ	42	1294FR-O	52	1565	141	2160	94	2724	95	3100-B-BM	76 70	3700-B-C	83
1243-L	66	1284-OZ-RD	42	1296-LZ-RD	53	1570	141	2310	96	2726	95 05	3100-B-C	76 70	3700-B-G	83
1243-O	66 77	1284-OZ-RD-CID	42 75	1296-OZ-RD	53 54	1580	142	2320	96	2730	95	3100-B-C/A	76 76	3800-C	84
1245-LZ-RD	37	1284-PRZ-RD	35 75	1299-LZ-RD-CID	54 54	1585	142	2340	97	2805	98	3100-B-G	76 76	3800-G	84
1245-OZ-RD	37	1284-RZ-RD	35 75	1299-OZ-RD-CID	54 107	1600	171	2341 2750 SDU	97	2810	98	3100-B-G/A	76 76	3800-GR	84
1246-F-RD	38	1284FR-BZ-RD	35	1320	193	1601	172	2350-SRH	97	2815	98	3100-B-GM	76	3800-Y	84

ironwear.com support@ironwear.com

<u>Index</u>

<u>Style</u>	<u>Page</u>	<u>Style</u>	<u>Page</u>	<u>Style</u>	<u>Page</u>	<u>Style</u>	<u>Page</u>
3875-C/A	84	3990	90	4199	25	4890	16
3900	85	3993	60	4200	25	4891	14
3924	85	3995	90	4201	26	4891-I	14
3925	85	4000	17	4202	26	4891-S	14
3925-A	86	4005	17	4203	26	4891-SFD	14
3925-P/A	86	4020	17	4210	21	4891-W	14
3926-C/A	86	4030	18	4230	21	4892-L	15
3928-C-C/A	88	4031	18	4240	21	4895	16
3929-B-C/A	88	4032	18	4250	21	4898	30
3930-A	87	4040	17	4260-L	21	4905	15
3930-C	87	4060	17	4260-O	21	4915	12
3930-G	87	4070	17	4260-W	21	4916	12
3930-IOM	87	4075	17	4265-L	22	4916-TPR	15
3931-A	87	4080	18	4267-W	22	4917	12
3931-C	87	4081	18	4312	22	4918	12
3931-G	87	4082	18	4320	22	4918-TPR	15
3931-IOM 3935-CC-C	87	4090	17	4330	22	4920	12
	89 89	4091 4092	17 17	4350 4360	22 180	4925 4930	13
3935-GG-C 3937	63	4092 4100	23	4360 4370-G	180	4930 4935	13 13
3938-C	64	4115	23	4370-G 4370-L	180	4936 4936	13
3938-G	64	4120	24	4570-L 4540	9	4945	8
3939	63	4140	24	4541	9	4946	8
3939-G	63	4145	24	4550	9	4947	8
3940	63	4160	24	4621	19	4957-B	13
3940-G	63	4160-TPR	24	4622	19	4965	13
3940-LG	63	4180	24	4631	19	4966	15
3940-P04	63	4188	25	4632	19	4970-G	23
3940-P06	63	4189	26	4633	19	4970-L	23
3941	63	4189-OFTP	26	4650	20	4970-O	23
3942	65	4191	28	4725	19	4970-W	23
3942-B	65	4191-KL3	28	4730	19	4980-B	180
3943	63	4191-KL3-OFTP	28	4735	19	4980-B-MD	180
3944	63	4191-KL3-TPR	29	4800	9	4980-C	180
3945	63	4191-KL6-TPR	29	4820	9	4991	187
3946	63	4192	27	4830	9	4991-P	187
3947	63	4193	27	4833	12	4993	187
3948	59	4194-B	27	4834	20	4994-P	187
3949	64	4195	27	4834-NT	20	4995	30
3950	60	4195B	27	4840-B	10	4996	187
3956	65	4195B-LFTP	28	4840-G	10	4997	189
3961	62	4195B-LM	27	4840-L	10	4998	189
3970 3075	62	4195B-OFT	27	4845-G	10	4999	190
3975 7076	58	4195B-OFTB	28	4855	10	5000	190
3976	58	4195B-OFTP	28	4856	10	5003 5004	187
3980 3981	64 60	4196-FL 4196-KL3	29 29	4860 4861	11 11	5004 5020	188 188
3982	60	4196-KL3-OFTP	29 29	4862	11	5020 5021	188
3983-FR-L	61	4196-KL3-TPR	30	4863	11	5021 5090-B	30
3984	59	4196-KL5-TPR 4196-KL6-TPR	30	4872	16	5090-Б 5090-G	30
3985	62	4196-TL	29	4875	16	5090-O	30
3988	90	4198	25	4880	16	5090-P	30
3989	142	4198-BL	25	4885-L	15	5090-R	30
	174	7100 DE	25	.550 E	10	JUJU K	50

<u>Index</u>

<u>Style</u>	<u>Page</u>	<u>Style</u>	<u>Page</u>	<u>Style</u>	<u>Page</u>	<u>Style</u>	<u>Page</u>
5090-Y	30	6510FR-N	169	9220-Y	119	9268	136
5121-BL	66	6510FR-O	169	9221-B	120	9272	136
5121-W	66	6610FR-G	170	9221-BFR	120	9280	133
5124-BL	66	6610FR-K	170	9221-Y	120	9281	133
5124-W	66	6610FR-N	170	9221-YFR	120	9285	133
5128-BL	66	6710FR-N	170	9222-B	120	9295-B	134
5128-W	66	7825-B	153	9222-Y	120	9295-G	134
5131-W	66	7870-B	154	9223-Y	119	9295-W	134
5151	135	7871-B	154	9223-YFR	119	9295-Y	134
5200-B	149	7872-B	154	9225	121	9400	122
5200-W	149	7935	156	9225-YFR	121	9410	122
5230-B	151	7960	155	9226	121	9411	122
5230-Y	151	7984	155	9228	176	9420	122
5231-B	151	7985	155	9250-B	129	9421	122
5240-B	152	7986	155	9250-BL	129	9430	121
5241-B	152	7987	155	9250-G	129	9440	121
5242-B	152	7989	155	9250-W	129	9441	121
5250	150	7990	155	9250-Y	129	9450	122
5251	150	7991	155	9251-B	129	9451	122
5255	150	7992	155	9251-G	129	9460	180
5256	150	7993	155	9252-B	130	9500-L	123
5299	151	7994	155	9253-B	130	9500-O	123
5300-B	149	7995-B	153	9254-B	130	9500FR-L	123
5305-B	149	9030	115	9255-B	130	9508-L	124
6205	135	9031	115	9257-B	131	9508-O	124
6300-L	162	9200-LG-ST	116	9257-W	131	9508FR-L	124
6340FR-N	162	9200-O-ST	116	9258-B	131	9510-L	125
6400-L	159	9200-Y	116	9258-W	131	9511-L	125
6410-L	159	9202-Y-NF	117	9259-B	131	9520-L	125
6415FR-LB	160	9202-YFR	117	9260	135	9520-O	125
6435-L	161	9207-Y	117	9262	132	9520FR-L	125
6445-L	161	9207-YFR	117	9262-M	132	9575-G	126
6500FR-K	169	9209-Y	117	9262-S	132	9575-L	126
6500FR-N	169	9210	119	9263-S	132	9577-L	126
6500FR-O	169	9220-LG-ST	119	9264-S	132		
6510FR-K	169	9220-O-ST	119	9267	135		



